

Norfast, Inc

Master Distributors of Progressive Construction Fasteners,
Equipment & Supplies



MADE IN USA



Trusted
Solutions

Contact us

norfastinc.com

info@norfastinc.com

Phone: 1.800.695.2088



Available
in PDF

Norfast, Inc.

Division of Colletti Companies, Inc.

Ordering Information

Phone

Local: 651-646-7677

Toll Free: 1-800-695-2088

Email

info@norfastinc.com

Website

www.norfastinc.com

Business Hours

7:00 AM - 3:45 PM CST

Monday — Friday

Trusted
Solutions

Terms and Conditions of Sale

Pricing Policy: prices are subject to change without notice.

Payment Terms

Net 30. All accounts 30 days past due will automatically go on hold status for future orders or back orders until account is brought up to date. All accounts over 30 days past due will be charged a finance fee of 1 1/2% per month. Norfast, Inc. reserves the right to withhold shipments from any account which has a balance exceeding the approved credit limit or does not pay invoices within stated terms. We accept checks and ACH. Payment by credit card will have an additional processing fee.

Freight Policy

Shipment prepaid on orders of \$500 net or more. F.O.B. St. Paul, Minnesota for Minnesota, North Dakota, South Dakota, Wisconsin, and Iowa. \$1,200 for other Mainland States.

Title and risk of loss shall pass to the customer upon delivery to carrier, regardless who pays the shipping costs.

Shipping Costs

Norfast, Inc. reserves the right to ship via the least expensive route. When instructed to ship via a more expensive route, customer will pay the shipping costs.

Shipping

Norfast, Inc. will make every effort to ship all orders the same day if orders are received before 2:00 PM, CST.

No Minimum Order

Blind Drop-Shipping

Shortages

If a shortage is incurred on a shipment, the carton must be retained for inspection by the carrier to determine if it was broken, open, or tampered with in any way. Norfast, Inc. must be notified of any shortages within 10 days of receipt of shipment or Norfast, Inc. will not be responsible for any shortages.

Return Goods Policy

1. No credit will be given without prior approval. When material is returned, it must be accompanied by a copy of the original invoice and returned to Norfast, Inc. freight prepaid.
2. A 20% restocking charge will be applied to returns. If product must be returned to the manufacturer, customer must pay those shipping charges.
3. There will be no refund of shipping charges.
4. Credit will be issued, less restocking charge, if applicable, at the prices originally charged if goods are returned with a copy of the original invoice, in salable condition, and in original packaging. If goods are returned otherwise, credit will be issued at a value determined by Norfast, Inc.
5. Credit policy is valid for goods shipped within the preceding 3-month period. Goods purchased prior to the 3-month period are not eligible for return, exchange, or credit.

A. Anchors.....	pages 6 - 23
B. Acrylics & Epoxy Adhesives.....	pages 24 - 26
C. Self-Drilling Screws.....	pages 27 - 34
D. Drywall, Deck, & Construction Screws.....	pages 35 - 52
E. Roofing & Insulation Screws.....	pages 53 - 56
F. Polyurethane Foam & Sealants.....	pages 57 - 61
G. Sammys® Threaded Rod Fasteners.....	pages 62 - 68
H. Carbide Circular Saw Blades.....	pages 69 - 71
I. Gas & Powder Actuated Fasteners.....	pages 72 - 73
J. Carbide Drill Bits, Chisels, High Speed Bits.....	pages 74 - 86
K. Insert Bits & Holders.....	pages 87 - 89
L. Specialty Items.....	page 90
M. Safety Glasses & Gloves.....	pages 91-92



Version 3.0
This product is made in the United States of America

Wedge Anchor

Carbon Steel - Zinc Plated



Part Number	Size	Thread Length	Qty Per Box/Case
SIMSTB2-25134*	1/4 x 1-3/4"	15/16"	100/500
RHWS-1422	1/4 x 2-1/4"	1-1/4"	100/1000
RHWS-1432	1/4 x 3-1/4"	2-1/4"	100/800
RHWS-3822	3/8 x 2-1/4"	1-1/8"	50/500
RHWS-3826	3/8 x 2-3/4"	1-5/8"	50/400
RHWS-3830	3/8 x 3"	1-3/4"	50/400
RHWS-3836	3/8 x 3-3/4"	2-1/2"	50/300
RHWS-3850	3/8 x 5"	3-3/4"	50/250
RHWS-3870	3/8 x 7"	3-7/8"	50/250
RHWS-1226	1/2 x 2-3/4"	1-1/4"	25/200
RHWS-1236	1/2 x 3-3/4"	2-1/4"	25/150
RHWS-1242	1/2 x 4-1/4"	2-3/4"	25/150
RHWS-1244	1/2 x 4-1/2"	3"	25/150
RHWS-1254	1/2 x 5-1/2"	4"	25/150
RHWS-1270	1/2 x 7"	5-1/2"	25/150
RHWS-5834	5/8 x 3-1/2"	1-3/4"	10/100
RHWS-5850	5/8 x 5"	3-1/4"	10/100
RHWS-5860	5/8 x 6"	4-1/4"	10/50
RHWS-5870	5/8 x 7"	5-1/4"	10/30
RHWS-5884	5/8 x 8-1/2"	5-3/4"	10/30
RHWS-58100	5/8 x 10"	5-3/4"	10/30
RHWS-3446	3/4 x 4-3/4"	2-7/8"	10/60
RHWS-3454	3/4 x 5-1/2"	3-5/8"	10/60
RHWS-3462	3/4 x 6-1/4"	4-3/8"	10/30
RHWS-3470	3/4 x 7"	5-1/8"	10/30
RHWS-3484	3/4 x 8-1/2"	5-3/4"	10/30
RHWS-34100	3/4 x 10"	5-3/4"	10/30
RHWS-34120	3/4 x 12"	1-3/4"	10/30

*This anchor is not American Made



Wedge Anchor

304 Stainless Steel



Part Numbers	Size	Thread Length	Qty Per Box/Case
RHWW-1416	1/4 x 1-3/4"	3/4"	100/1000
RHWW-1422	1/4 x 2-1/4"	1-1/4"	100/1000
RHWW-1432	1/4 x 3-1/4"	2-1/4"	100/800
RHWW-3822	3/8 x 2-1/4"	1-1/8"	50/500
RHWW-3826	3/8 x 2-3/4"	1-5/8"	50/400
RHWW-3830	3/8 x 3"	1-3/4"	50/400
RHWW-3836	3/8 x 3-3/4"	2-1/2"	50/300
RHWW-3850	3/8 x 5"	3-3/4"	50/250
RHWW-1226	1/2 x 2-3/4"	1-1/4"	25/200
RHWW-1236	1/2 x 3-3/4"	2-1/4"	25/150
RHWW-1242	1/2 x 4-1/4"	2-3/4"	25/150
RHWW-1254	1/2 x 5-1/2"	3"	25/150
RHWW-1270	1/2 x 7"	3-1/2"	25/150
RHWW-5834	5/8 x 3-1/2"	1-3/4"	10/100
RHWW-5842	5/8 x 4-1/4"	2-1/2"	10/100
RHWW-5850	5/8 x 5"	3-1/4"	10/100
RHWW-5860	5/8 x 6"	4-1/4"	10/50
RHWW-5870	5/8 x 7"	3-1/2"	10/30
RHWW-5884	5/8 x 8-1/2"	3-1/2"	10/30
RHWW-3446	3/4 x 4-3/4"	2-7/8"	10/60
RHWW-3454	3/4 x 5-1/2"	3-5/8"	10/50
RHWW-3462	3/4 x 6-1/4"	4-3/8"	10/30
RHWW-3470	3/4 x 7"	3-1/2"	10/30
RHWW-3484	3/4 x 8-1/2"	3-1/2"	10/30
RHWW-34100	3/4 x 10"	1-3/4"	10/30
RHWW-10060	1 x 6"	2-1/2"	5/25
RHWW-10090	1 x 9"	2-1/2"	5/15

316 Stainless Steel available by special order.

Wedge Anchor

Carbon Steel - Hot-Dipped Galvanized



Part Number	Size	Thread Length	Qty Per Box/ Case
RHWS-1226G	1/2 x 2-3/4"	1-1/4"	25/200
RHWS-1242G	1/2 x 4-1/4"	2-3/4"	25/150
RHWS-1254G	1/2 x 5-1/2"	4"	25/150
RHWS-1270G	1/2 x 7"	5-1/2"	25/150
RHWS-3446G	3/4 x 4-3/4"	2-7/8"	10/60
SIMSTB2-75512MG*	3/4 x 5-1/2"	3-3/16"	10/40
SIMSTB2-62600MG*	5/8 x 6"	3-15/16"	10/80

*This anchor is not American Made

Tie Wire Wedge Anchor

Flathead



Part Numbers	Size	Drill Size	Qty Per Box/Case
RHTW-1400	1/4 x 2-1/8"	1/4"	100/1,000

Sleeve Anchors

Hex Nut - Carbon Steel - Zinc Plated



Part Number	Size	Qty Per Box/Case
RHHN-3817	3/8 x 1-7/8"	50/500
RHHN-3830	3/8 x 3"	50/400
RHHN-1222	1/2 x 2-1/4"	25/250
RHHN-1230	1/2 x 3"	25/200
RHHN-1240	1/2 x 4"	25/200
RHHN-5842	5/8 x 4-1/4"	10/100

Sleeve Anchors

Flat Head - Phillips - Carbon Steel - Zinc Plated



Part Number	Size	Drive	Minimum Embedment	Maximum Material Thickness	Qty Per Box/Case
RHFS-3840	3/8 x 4"	#3	1-1/2"	2-1/2"	50/400
RHFS-3850	3/8 x 5"	#3	1-1/2"	3-1/2"	50/300
SIM-FS3860	3/8 x 6"	#3	1-1/2"	4-1/2"	50/200

Other sizes available by special order.

Sleeve Anchors

Flat Head - Phillips - 303 Stainless Steel



Part Number	Size	Drive	Minimum Embedment	Maximum Material Thickness	Qty Per Box/Case
RHSFS-3826	3/8 x 2-7/8"	#3 Phillips	1-1/2"	1-3/8"	50/500
RHSFS-3840	3/8 x 4"	#3 Phillips	1-1/2"	2-1/2"	50/400

Other sizes available by special order.

All American Anchor™

Carbon Steel - Yellow Zinc



Part Number	Size	Thread Length	Minimum Embedment	Qty Per Case
SAC-3060	3/8 x 2-3/8"	1"	1-1/4"	100
SAC-3090	3/8 x 3-1/2"	1-1/8"	1-1/4"	100
SAC-3120	3/8 x 5"	2"	1-1/4"	50
SAC-4070	1/2 x 2-3/4"	1"	1-1/2"	50
SAC-4090	1/2 x 3-1/2"	1-1/8"	1-1/2"	50
SAC-4120	1/2 x 4-3/4"	2"	1-1/2"	50
SAC-4150	1/2 x 6"	2"	1-1/2"	30

Titen HD

Carbon Steel - Zinc Plated



Part Number	Size	Drill Bit Diameter	Wrench Size	Qty Per Box/Case
SIMTHDB-25178H	1/4 x 1-7/8"	1/4"	3/8"	100/500
SIMTHDB-25234H	1/4 x 2-3/4"	1/4"	3/8"	50/250
SIMTHDB-25300H	1/4 x 3"	1/4"	3/8"	50/250
SIMTHDB-25312H	1/4 x 3-1/2"	1/4"	3/8"	50/250
SIMTHDB-25400H	1/4 x 4"	1/4"	3/8"	50/250
SIMTHD-37134H	3/8 x 1-3/4"	3/8"	9/16"	50/250
SIMTHD-37212H	3/8 x 2-1/2"	3/8"	9/16"	50/200
SIMTHD-37300H*	3/8 x 3"	3/8"	9/16"	50/200
SIMTHD-37400H*	3/8 x 4"	3/8"	9/16"	50/200
SIMTHD-37500H*	3/8 x 5"	3/8"	9/16"	50/100
SIMTHD-37600H*	3/8 x 6"	3/8"	9/16"	50/100
SIMTHD-50300H	1/2 x 3"	1/2"	3/4"	25/100
SIMTHD-50400H*	1/2 x 4"	1/2"	3/4"	20/80
SIMTHD-50500H*	1/2 x 5"	1/2"	3/4"	20/80
SIMTHD-50600H*	1/2 x 6"	1/2"	3/4"	20/80
SIMTHD-50612H*	1/2 x 6-1/2"	1/2"	3/4"	20/40
SIMTHD-50800H*	1/2 x 8"	1/2"	3/4"	20/40
SIMTHD-501200H	1/2 x 12"	1/2"	3/4"	5/20
SIMTHD-501300H	1/2 x 13"	1/2"	3/4"	5/20
SIMTHD-501400H	1/2 x 14"	1/2"	3/4"	5/20
SIMTHD-501500H	1/2 x 15"	1/2"	3/4"	5/20
SIMTHDB-62100H	5/8 x 10"	5/8"	15/16"	10/20
SIMTHDB-62400H	5/8 x 4"	5/8"	15/16"	10/40
SIMTHDB-62500H*	5/8 x 5"	5/8"	15/16"	10/40
SIMTHDB-62600H*	5/8 x 6"	5/8"	15/16"	10/40
SIMTHDB-62612H*	5/8 x 6-1/2"	5/8"	15/16"	10/40
SIMTHDB-62800H*	5/8 x 8"	5/8"	15/16"	10/20
SIMTHD-75400H	3/4 x 4"	3/4"	1-1/8"	10/40
SIMTHD-75500H	3/4 x 5"	3/4"	1-1/8"	5/20
SIMTHDT-75600H	3/4 x 6"	3/4"	1-1/8"	5/20
SIMTHD-75700H	3/4 x 7"	3/4"	1-1/8"	5/10
SIMTHD-75812H*	3/4 x 8-1/2"	3/4"	1-1/8"	5/10
SIMTHD-75100H*	3/4 x 10"	3/4"	1-1/8"	5/10

*Available Mechanically Galvanized

Titen HD Countersunk

Carbon Steel-Zinc Plated



Part Number	Size	Drill Bit Diameter	Drive	Qty Per Box/Case
SIMTHD-37400CS	3/8 x 4"	3/8"	T50	50/200
SIMTHD-37500CS	3/8 x 5"	3/8"	T50	50/100

Titen HD

304 & 316 Stainless Steel



304 Part Number	316 Part Number	Size	Drill Bit Diameter	Anchor Head Diameter	Qty Per Box/Case
SIMTHD-37300H4SS	SIMTHD-37300H6SS	3/8 x 3"	3/8"	9/16"	50/200
SIMTHD-37400H4SS	SIMTHD-37400H6SS	3/8 x 4"	3/8"	9/16"	50/200
SIMTHD-37500H4SS	SIMTHD-37500H6SS	3/8 x 5"	3/8"	9/16"	50/100
SIMTHD-37600H4SS	SIMTHD-37600H6SS	3/8 x 6"	3/8"	9/16"	50/100
SIMTHD-50300H4SS	SIMTHD-50300H6SS	1/2 x 3"	1/2"	3/4"	25/100
SIMTHD-50400H4SS	SIMTHD-50400H6SS	1/2 x 4"	1/2"	3/4"	20/80
SIMTHD-50500H4SS	SIMTHD-50500H6SS	1/2 x 5"	1/2"	3/4"	20/80
SIMTHDB-62400H4SS	SIMTHDB-62400H6SS	5/8 x 4"	5/8"	15/16"	10/40
SIMTHDB-62500H4SS	SIMTHDB-62500H6SS	5/8 x 5"	5/8"	15/16"	10/40
SIMTHDB-62600H4SS	SIMTHDB-62600H6SS	5/8 x 6"	5/8"	15/16"	10/40
SIMTHDB-62612H4SS	SIMTHDB-62612H6SS	5/8 x 6-1/2"	5/8"	15/16"	10/40
SIMTHDB-62800H4SS	SIMTHDB-62800H6SS	5/8 x 8"	5/8"	15/16"	10/20
SIMTHD-50600H4SS	SIMTHD-50600H6SS	1/2 x 6"	1/2"	3/4"	20/80
SIMTHD-50612H4SS	SIMTHD-50612H6SS	1/2 x 6-1/2"	1/2"	3/4"	20/40
SIMTHD-50800H4SS	SIMTHD-50800H6SS	1/2 x 8"	1/2"	3/4"	20/40
SIMTHD-75400H4SS	SIMTHD-75400H6SS	3/4 x 4"	3/4"	1-1/8"	10/40
SIMTHD-75500H4SS	SIMTHD-75500H6SS	3/4 x 5"	3/4"	1-1/8"	5/20
SIMTHD-75600H4SS	SIMTHD-75600H6SS	3/4 x 6"	3/4"	1-1/8"	5/20
SIMTHD-75700H4SS	SIMTHD-75700H6SS	3/4 x 7"	3/4"	1-1/8"	5/10
	SIMTHD-75812H6SS	3/4 x 8-1/2"	3/4"	1-1/8"	5/10

LDT - Large Diameter Tapcon

Carbon Steel - Zinc Plated



Part Number	Size	Drill Bit Diameter	Anchor Head Diameter	Qty Per Box/Case
RHLDT-3816	3/8 x 1-3/4"	5/16"	9/16"	50/400
RHLDT-3824	3/8 x 2-1/2"	5/16"	9/16"	50/400
RHLDT-3830	3/8 x 3"	5/16"	9/16"	50/400
RHLDT-3840	3/8 x 4"	5/16"	9/16"	50/400
RHLDT-3850	3/8 x 5"	5/16"	9/16"	40/320
RHLDT-1230	1/2 x 3"	7/16"	3/4"	25/150
RHLDT-1240	1/2 x 4"	7/16"	3/4"	25/150
RHLDT-1250	1/2 x 5"	7/16"	3/4"	25/150
RHLDT-1260	1/2 x 6"	7/16"	3/4"	20/120
RHLDT-5830	5/8 x 3"	1/2"	13/16"	10/100
RHLDT-5840	5/8 x 4"	1/2"	13/16"	10/100
RHLDT-5850	5/8 x 5"	1/2"	13/16"	10/100
RHLDT-5860	5/8 x 6"	1/2"	13/16"	10/50
RHLDT-3444	3/4 x 4-1/2"	5/8"	15/16"	10/50
RHLDT-3454	3/4 x 5-1/2"	5/8"	15/16"	10/50
RHLDT-3462	3/4 x 6-1/4"	5/8"	15/16"	10/30

LDT - Large Diameter Tapcon

Stainless Steel



Part Number	Size	Drill Bit Diameter	Anchor Head Diameter	Qty Per Box/Case
RHSLDT-3824	3/8 x 2-1/2"	5/16"	9/16"	50/400
RHSLDT-3830	3/8 x 3"	5/16"	9/16"	50/400
RHSLDT-3840	3/8 x 4"	5/16"	9/16"	50/400
RHSLDT-3850	3/8 x 5"	5/16"	9/16"	40/320
RHSLDT-1230	1/2 x 3"	7/16"	3/4"	25/150
RHSLDT-1240	1/2 x 4"	7/16"	3/4"	25/150
RHSLDT-1250	1/2 x 5"	7/16"	3/4"	25/150



Drop-In Anchors

Flange-Top



Part Number	Setting Tool	Bolt Size	Drill Size	Minimum Embedment	Qty Per Box/Case
SIMDIABL-25	RHRT-114	1/4"	3/8"	1"	100/500
RHRM-38	RHRT-138	3/8"	1/2"	1-5/8"	50/500
RHRM-12	RHRT-112	1/2"	5/8"	2"	50/400
RHRM-58	RHRT-158	5/8"	7/8"	2-1/2"	25/125
RHRM-34	RHRT-134	3/4"	1"	3-3/16"	25/100

Drop-In Anchors

Without Flange-Top



Part Number	Setting Tool	Bolt Size	Drill Size	Minimum Embedment	Qty Per Box/Case
RHRL-14	RHRT-114	1/4"	3/8"	1"	100/1000
RHRL-38	RHRT-138	3/8"	1/2"	1-5/8"	50/500
RHRL-12	RHRT-112	1/2"	5/8"	3/4"	50/400
RHRL-58	RHRT-158	5/8"	7/8"	1"	25/125
RHRL-34	RHRT-134	3/4"	1"	1-1/4"	25/100

Drop-In Anchors

303 Stainless Steel without Flange



Part Number	Setting Tool	Bolt Size	Drill Size	Minimum Embedment	Qty Per Box/Case
RHSRM-38	RHRT-38	3/8"	1/2"	1-5/8"	50/500
RHSRM-12	RHRT-112	1/2"	5/8"	2"	50/400

Drop-In Anchors

Short Drop-In Flange-Top



Part Number	Setting Tool	Bolt Size	Drill Size	Minimum Embedment	Qty Per Box/Case
RHRX-38	RHRTX-138	3/8"	1/2"	3/4"	100/1000
RHRX-12	RHRTX-112	1/2"	5/8"	1"	50/500

Drive Nail Anchors

Zamac



Part Number	Size	Pkg. Qty.	Pkgs./Master	Master Ctn. Qty.
TFZM187-0875-100	3/16 x 7/8"	100	5	500
SIMZN-25034	1/4 x 3/4"	100	5	500
TFZM250-1000-100	1/4 x 1"	100	5	500
TFZM250-1250-100	1/4 x 1-1/4"	100	5	500
TFZM250-1500-100	1/4 x 1-1/2"	100	5	500
TFZM250-2000-100	1/4 x 2"	100	5	500
SIMZN-25300	1/4 x 3"	100	4	400

Drive Nail Anchors

304 Stainless Steel



Part Number	Size	Drill Size	Minimum Embedment	Qty Per Box/Case
SIMZN-25100SS	1/4 x 1"	1/4"	3/4"	100/500
SIMZN-25114SS	1/4 x 1-1/4"	1/4"	3/4"	100/500
SIMZN-25112SS	1/4 x 1-1/2"	1/4"	3/4"	100/500
SIMZN-25200SS	1/4 x 2"	1/4"	3/4"	100/500
SIMZN-25300SS	1/4 x 3"	1/4"	3/4"	100/400

Nylon Anchors and Nylon Washers

Mushroom Head - Steel Nail



Part Number	Size	Drill Size	Description	Qty Per Box/Case
GBT316-3XBU	3/16 x 1"	1/4"		100
GBT416-8XSBU	1/4 X 1"	1/4"		100
GBT416-10XSBU*	1/4 X 1-1/2"	1/4"		100
GBT416-12XSBU	1/4 X 2"	1/4"		100
GBT416-13XSBU	1/4 X 3"	1/4"		50
GBT416-14XSBU	1/4 x 4"	1/4"		50
GBT416-16XSBO	1/4 x 3"	1/4"	BODY ONLY/NO NAIL	50
BX-NYLON	1/4 X 1-1/4"	1/4"	NYLON WASHER	1000

*1/4 x 1- 1/2 " is also available in Stainless Steel Nail

Toggler® Anchor System

Hollow Wall Anchors



Part Number	Grip Range	Drill Size	Qty Per Box/Case
MPTA-100	1/8"-1/4"	5/16"	100/1,000
MPTB-100	3/8"-1/2"	5/16"	100/1000
MPTC-100	5/8"-3/4"	5/16"	100/1000
MPTD-100	1"	5/16"	50/500

Toggle Bolts



Part Number	Bolt Size	Grip Range	Hole Size	Qty Per Box/Case
MPBA-100	3/16"-24	3/8"-3-5/8"	1/2"	100/1000
MPBB-100	1/4"-20	3/8"-3-5/8"	1/2"	100/1000
MPBC-25	3/8"-16	3/8"-2-1/2"	3/4"	25/250
MPBD-25	1/2"-13	3/8"-2-1/2"	3/4"	25/250

Alligator® Anchors

Solid Wall Anchors - Flange



Part Number	Size	Screw Size	Hole Size	Qty Per Box/Case
MPAF5-5MM	3/16"	#4-#10	3/16"	200/2000
MPAF6-6MM	1/4"	#6-#14	1/4"	100/1000
MPAF8-8MM	5/16"	#8-5/16	5/16"	100/1000

E-Z ANCORS®

E-Z Ancor®



Part Number	Length	Accommodates Screw Size	Qty Per Box/Case
BX-5000902	1-5/8"	#6, #7, #8	100/1000

E-Z Ancor Plastic Plus™



Part Number	Length	Accommodates Screw Size	Qty Per Box/Case
BX-5035902	1-5/8"	#6, #7, #8	100/1000

E-Z Ancor Lite™



Part Number	Length	Accommodates Screw Size	Qty Per Box/Case
BX-5006902	1-5/16"	#6	100/1000

E-Z Toggle™



Part Number	Length	Accommodates Screw Size	Qty Per Box/Case
BX-5014901	2-1/2"	#8	50/500

Plastic Screw Anchors

Ribbed with Tabs



Part Number	Size	Screw Size	Hole Size	Qty Per Box/Case
CO-2001	3/16 x 1"	#8-10	3/16"	100/1,000
CO-2002	1/4 x 1-1/4"	#10-12	1/4"	100/1,000
CO-2003	5/16 x 1-1/2"	#12-14	5/16"	100/1,000

Plastic Screw Anchors

Conical



Part Number	Size	Screw Size	Drill Size	Qty Per Box
USCPA-48BXB	3/16 x 3/4"	#6-8	3/16"	100
USCPA-610BXB	3/16 x 7/8"	#8-10	3/16"	100
USCPA-1012BXB	1/4 x 1"	#10-12	1/4"	100
USCPA-1416BXB	5/16 x 1-3/8"	#14-16	5/16"	50

Plastic Screw Anchors

Conical - Kit



Part Number	Size	Screw Size	Drill Size	Qty Per Box
IT-807AK0010	3/16 x 7/8"	#8 x 1"	3/16"	100
IT-807AK0011	1/4 x 1"	#10 x -1/4"	1/4"	100
IT-807AK0013	5/16 x 1-3/8"	#12 x 1-1/2"	5/16"	50

Plastic Screw Anchors

Ribbed with Tabs - Kit



Part Number	Size	Screw Size	Drill Size	Qty Per Box
IT-SUPRAK006	3/16 x 7/8"	#8 x 1"	7/8"	100
IT-SUPRAK008	1/4 x 1"	#10 x -1/4"	1/4"	100
IT-807AK0013	5/16 x 1-3/8"	#12 x 1-1/2"	5/16"	50

Perma-Grip® Concrete Anchors

Double Hot- Dipped Galvanized - Spiral-Shanked - Fluted
PACKAGED

THE ORIGINAL GRIPCON
perma-grip®



Part Number	Size	SDS Bit - Usable - Overall	Weight Per Case (lbs)	Qty Per Box/Case
PG-0118	1-1/8"	3/16" x 2"-4"	8	100/500
PG-0112	1-1/2"	3/16" x 2"-4"	10	100/500
PG-0200	2"	3/16" x 4"-6"	11	100/500
PG-0212	2-1/2"	3/16" x 4"-6"	14	100/500
PG-0300	3"	3/16" x 4"-6"	16	100/500
PG-0312	3-1/2"	3/16" x 4"-6"	19	100/500
PG-0400	4"	3/16" x 6"-8"	22	100/500
PG-0500	5"	3/16" x 6"-8"	26	100/500
PG-0512	5-1/2"	3/16" x 6"-8"	28	100/500

Packaged consists of fasteners only. No drill bits included

Perma-Grip® Concrete Anchors

Double Hot- Dipped Galvanized - Spiral-Shanked - Fluted - **BULK**



Part Number	Size	SDS Bit - Usable - Overall	Weight Per Case (lbs)	Qty Per Box/Case
PG-0118B	1-1/8"	3/16" x 2"-4"	16	1,000
PG-0112B	1-1/2"	3/16" x 2"-4"	20	1,000
PG-0200B	2"	3/16" x 4"-6"	22	1,000
PG-0212B	2-1/2"	3/16" x 4"-6"	28	1,000
PG-0300B	3"	3/16" x 4"-6"	32	1,000
PG-0312B	3-1/2"	3/16" x 4"-6"	19	500
PG-0400B	4"	3/16" x 6"-8"	22	500
PG-0500B	5"	3/16" x 6"-8"	26	500
PG-0512B	5-1/2"	3/16" x 6"-8"	28	500

Packaged consists of fasteners only. No drill bits included

Drill Bits

SDS-Plus



Part Number	Drill Bit Diameter	Usable Length	Overall Length
DRAD-410-104	3/16"	2"	4 1/2"
DRAD-415-215	3/16"	4"	6 1/4"
DRAD-420-221	3/16"	7"	9 1/2"
DRAD-425-216	3/16"	9"	11 1/2"
DRAD-430-260	3/16"	13"	16"

Stress Plates

26 Gauge Galvalume™ Plated Metal



Part Number	Description	Diameter	Hole Size	Qty Per Case
TFMP-2000	Metal	2"	1/4"	1000
TFMP-3000	Metal	3"	1/4"	1000

Fastener Features


- Hot-Dipped galvanized for use in ACQ treated lumber
- No special driving tools required
- No head shearing
- Control of embedment
- Excellent shear strength
- High Performance at lower cost
- Available in extra long lengths
- Can be used with straight shank or SDS - Plus drill bits
- Compatible with metal stress plates

Fastener Installation

In selecting the correct Perma-grip® fastener length, add 1" to the fixture thickness. Then, with a 3/16" drill bit, drill through the fixture into the concrete. Pilot holes are to be 1/4" deeper than the engagement of the Perma-grip® fastener. Tap the Perma-grip® fastener with a hammer until securely seated.

perma-grip® Strength Characteristics: Average Ultimate Pullout Values


Concrete Pullout



Shank Engagement

(19.1 mm) (25.4 mm)
 420 lbs. (190.5 kg) at 3/4" engagement
 1016 lbs. (460.9 kg) at 1" engagement


Hollow Block Pullout



Shank Engagement

(19.1 mm) (25.4 mm)
 240 lbs. (108.9 kg) at 3/4" engagement
 380 lbs. (172.4 kg) at 1" engagement

Shear Strength



Shank Engagement

(25.4 mm) (38 mm)

www.perma-grip.com

1/4 " Concrete Spikes

Carbon Steel – Epoxy E-Coat



Part Number	Size	Drill Bit Diameter	Weight Per Package (lbs)	Qty Per Package
TFTS250-1250	1-1/4"	1/4"	11	500/Bucket
TFTS250-1500	1-1/2"	1/4"	13	500/Bucket
TFTS250-2000	2"	1/4"	17	500/Bucket
TFTS250-2500	2-1/2"	1/4"	20	500/Bucket
TFTS250-3000	3"	1/4"	24	500/Bucket
TFTS250-3500	3-1/2"	1/4"	27	500/Bucket
TFTS250-4000	4"	1/4"	31	500/Bucket
TFTS250-4500	4-1/2"	1/4"	34	500/Bucket
TFTS250-5000	5"	1/4"	38	500/Bucket
TFTS250-5500	5-1/2"	1/4"	41	500/Bucket
TFTS250-6000	6"	1/4"	23	250/Bucket
TFTS250-6500	6-1/2"	1/4"	25	250/Bucket
TFTS250-7000	7"	1/4"	27	250/Bucket
TFTS250-7500	7-1/2"	1/4"	28	250/Bucket
TFTS250-8000	8"	1/4"	30	250/Bucket
TFTS250-9000	9"	1/4"	34	250/Bucket
TFTS250-10000	10"	1/4"	37	250/Bucket
TFTS250-11000	11"	1/4"	16	100/Carton
TFTS250-12000	12"	1/4"	18	100/Carton
TFTS250-13000	13"	1/4"	19	100/Carton
TFTS250-14000	14"	1/4"	21	100/Carton
TFTS250-15000	15"	1/4"	22	100/Carton
TFTS250-16000	16"	1/4"	23	100/Carton

ANSI Drill Bit Size: 1/4" diameter

- Pre-drill a 1/4" diameter hole using a drill bit that meets the requirement of ANSI Standard B212.15
- The hole must be a minimum of 1/2" deeper than the fastener embedment
- The fastener is installed with a hammer to a minimum embedment of 1"

Material Specifications

- Material: AISI 1038 Carbon Steel
- Coating: Tru-Kote™ Epoxy E-Coat

Code Approvals & Listings

- FM Global



Tapcon® Concrete Screw

Blue Climaseal™ Coated - Hi-Lo Thread Nail Point
Star Drive - Flat Head - PACKAGED



Part Number	Size	Head Style	Drive	Straight Shank Bit	SDS Bit		Qty Per Box/ Case
					Usable-Overall		
BX-3169407V2	3/16 x 1-1/4"	FLAT	T-25	5/32 x 3-1/2"	5/32 x 2-4"		100/500
BX-3171407V2	3/16 x 1-3/4"	FLAT	T-25	5/32 x 3-1/2"	5/32 x 2-4"		100/500
BX-3173407V2	3/16 x 2-1/4"	FLAT	T-25	5/32 x 4-1/2"	5/32 x 4-6"		100/500
BX-3175407V2	3/16 x 2-3/4"	FLAT	T-25	5/32 x 4-1/2"	5/32 x 4-6"		100/500
BX-3177407V2	3/16 x 3-1/4"	FLAT	T-25	5/32 x 5-1/2"	5/32 x 4-6"		100/500
BX-3183407V2	1/4 x 1-1/4"	FLAT	T-30	3/16 x 3-1/2"	3/16 x 2-4"		100/500
BX-3185407V2	1/4 x 1-3/4"	FLAT	T-30	3/16 x 3-1/2"	3/16 x 2-4"		100/500
BX-3187407V2	1/4 x 2-1/4"	FLAT	T-30	3/16 x 4-1/2"	3/16 x 4-6"		100/500
BX-3189407V2	1/4 x 2-3/4"	FLAT	T-30	3/16 x 4-1/2"	3/16 x 4-6"		100/500
BX-3191407V2	1/4 x 3-1/4"	FLAT	T-30	3/16 x 5-1/2"	3/16 x 4-6"		100/500
BX-3193407V2	1/4 x 3-3/4"	FLAT	T-30	3/16 x 5-1/2"	3/16 x 4-6"		100/500
BX-3195407V2	1/4 x 4"	FLAT	T-30	3/16 x 5-1/2"	3/16 x 6-8"		100/500
BX-3197407V2	1/4 x 5"	FLAT	T-30	3/16 x 6-1/2"	3/16 x 6-8"		100/500
BX-3203407V2	1/4 x 6"	FLAT	T-30	3/16 x 7-1/2"	3/16 x 10-12"		100/400

*One Tapcon drill bit included in each box of 100 anchors.

Tapcon® Concrete Screw

Blue Climaseal™ Coated - Hi-Lo Thread - Nail Point
Slotted - Hex Washer Head - PACKAGED



Part Number	Size	Head Style	Drive	Straight Shank Bit	SDS Bit		Qty Per Box/ Case
					Usable-Overall		
BX-3139407	3/16 x 1-1/4"	HWH	1/4"	5/32 x 3-1/2"	5/32 x 2-4"		100/500
BX-3141407	3/16 x 1-3/4"	HWH	1/4"	5/32 x 3-1/2"	5/32 x 2-4"		100/500
BX-3143407	3/16 x 2-1/4"	HWH	1/4"	5/32 x 4-1/2"	5/32 x 4-6"		100/500
BX-3145407	3/16 x 2-3/4"	HWH	1/4"	5/32 x 4-1/2"	5/32 x 4-6"		100/500
BX-3147407	3/16 x 3-1/4"	HWH	1/4"	5/32 x 5-1/2"	5/32 x 4-6"		100/500
BX-3153407	1/4 x 1-1/4"	HWH	5/16"	3/16 x 3-1/2"	3/16 x 2-4"		100/500
BX-3155407	1/4 x 1-3/4"	HWH	5/16"	3/16 x 3-1/2"	3/16 x 2-4"		100/500
BX-3157407	1/4 x 2-1/4"	HWH	5/16"	3/16 x 4-1/2"	3/16 x 4-6"		100/500
BX-3159407	1/4 x 2-3/4"	HWH	5/16"	3/16 x 4-1/2"	3/16 x 4-6"		100/500
BX-3161407	1/4 x 3-1/4"	HWH	5/16"	3/16 x 5-1/2"	3/16 x 4-6"		100/500
BX-3163407	1/4 x 3-3/4"	HWH	5/16"	3/16 x 5-1/2"	3/16 x 4-6"		100/500
BX-3165407	1/4 x 4"	HWH	5/16"	3/16 x 5-1/2"	3/16 x 6-8"		100/500
BX-3167407	1/4 x 5"	HWH	5/16"	3/16 x 6-1/2"	3/16 x 6-8"		100/500
BX-3205407	1/4 x 6"	HWH	5/16"	3/16 x 7-1/2"	3/16 x 10-12"		100/400

*One Tapcon drill bit included in each box of 100 anchors.



Tapcon® 410 Stainless Steel Concrete Screws

Silver Climaseal™ coated over 410 Stainless Steel - Hi-Lo Thread

Nail Point - Phillips Drive - Flat Head - Packaged



Part Number	Size	Head Style	Drive	Straight Shank Bit	SDS Bit - Usable - Overall	Qty Per Box/Case
BX-3418907	3/16 x 1-3/4"	FLAT	#2	5/32 x 4-1/2"	5/32 x 7"	100/500
BX-3419907	3/16 x 2-1/4"	FLAT	#2	5/32 x 4-1/2"	5/32 x 7"	100/500
BX-3420907	3/16 x 2-3/4"	FLAT	#2	5/32 x 4-1/2"	5/32 x 7"	100/500
BX-3373907	1/4 x 1-1/4"	FLAT	#3	3/16 x 3-1/2"	3/16 x 2-4"	100/500
BX-3374907	1/4 x 1-3/4"	FLAT	#3	3/16 x 3-1/2"	3/16 x 2-4"	100/500
BX-3375907	1/4 x 2-1/4"	FLAT	#3	3/16 x 4-1/2"	3/16 x 4-6"	100/500
BX-3376907	1/4 x 2-3/4"	FLAT	#3	3/16 x 4-1/2"	3/16 x 4-6"	100/500
BX-3377907	1/4 x 3-1/4"	FLAT	#3	3/16 x 5-1/2"	3/16 x 4-6"	100/500
BX-3378907	1/4 x 3-3/4"	FLAT	#3	3/16 x 5-1/2"	3/16 x 4-6"	100/500

*One Tapcon drill bit included in each box of 100 anchors.

*410 Stainless Steel for added corrosion protection.

Tapcon® 410 Stainless Steel Concrete Screws

Silver Climaseal™ coated over 410 Stainless Steel - Hi-Lo Thread

Nail Point - Slotted - Hex Washer Head - Packaged



Part Number	Size	Head Style	Drive	Straight Shank Bit	SDS Bit - Usable - Overall	Qty Per Box/Case
BX-3367907	1/4 x 1-1/4"	HWH	5/16"	3/16 x 3-1/2"	3/16 x 2-4"	100/500
BX-3368907	1/4 x 1-3/4"	HWH	5/16"	3/16 x 3-1/2"	3/16 x 2-4"	100/500
BX-3369907	1/4 x 2-1/4"	HWH	5/16"	3/16 x 4-1/2"	3/16 x 4-6"	100/500
BX-3370907	1/4 x 2-3/4"	HWH	5/16"	3/16 x 4-1/2"	3/16 x 4-6"	100/500
BX-3371907	1/4 x 3-1/4"	HWH	5/16"	3/16 x 5-1/2"	3/16 x 4-6"	100/500
BX-3372907	1/4 x 3-3/4"	HWH	5/16"	3/16 x 5-1/2"	3/16 x 4-6"	100/500
BX-3460907	1/4 x 5"	HWH	5/16"	3/16 x 5-1/2"	3/16 x 4-6"	100/500

*One Tapcon drill bit included in each box of 100 anchors.

*410 Stainless Steel for added corrosion protection.



Tapcon Drill Bits

Straight Shank



Part Number	Drill Bit Diameter	Overall Length	Pack Qty
DRTA-010-001	5/32"	3-1/2"	10
DRTA-020-002	5/32"	4-1/2"	10
DRTA-030-003	5/32"	5-1/2"	10
DRTA-040-004	3/16"	3-1/2"	10
DRTA-050-005	3/16"	4-1/2"	10
DRTA-060-006	3/16"	5-1/2"	10

SDS Plus Tapcon Bit

with Hex Drive for use with Condrive 1000



Part Number	Drill Bit Diameter	Usable Length	Overall Length
DRTS-002-002	5/32	3"	6"
DRTS-003-003	5/32	4"	7"
DRTS-005-005	3/16	3"	6"
DRTS-006-006	3/16	4"	7"

Installation Tool

Part Number	Description
BX-3103910	Condrive® 1000



Kit includes:

- Drill adapter
- Sleeve
- 3/16" socket
- 1/4" socket
- Phillips socket



Red Head A7+ Adhesive



Part Number	Description	Box Qty
RHA7P-10	Red Head A7+ 9.5 oz Cartridge w/ Nozzle	6
RHA7P-28	Red Head A7+ 28oz Cartridge w/ Nozzle	4

Key Features

- The only quick-cure ICC-ES approved for use in all wet conditions
- Qualified for use in concrete, block, brick, and clay tile. Solid or hollow base materials
- ICC-ES approved for cracked concrete and seismic applications (ICC-ES-ESR 3903)
- ICC-ES approved for masonry applications (ICC-ES ESR 3951)
- No drip formula that allows direct-injection overhead installation
- 18 month shelf life
- NSF/ANSI 61

Red Head C6+ Adhesive



Part Number	Description	Box Qty
RHC6P-15	Red Head C6+ 15.2oz. Cartridge w/ Nozzle	6
RHC6P-30	Red Head C6+ 30.4oz. Cartridge w/ Nozzle	4

Key Features

- At least 25% stronger than the old C6+ formulation or threaded rod in cracked concrete and with seismic conditions
- Fastest cure time in its class, curing in just 2.75 hours at 90°F and in only 2 hours at 110°F!
- ICC-ES approved for use in core-drill holes, even in cracked concrete
- Can be used in oversized holes
- 24 month shelf life
- NSF/ANSI 61

Red Head CONCRETE ANCHORING SYSTEMS	HILTI	DEWALT	SIMPSON Strong-Tie
A7+ Adhesive	HY-100 HY-200 HY-270 HY-ICE	AC-100+ AC-200+ AC-50	AT-XP AT-3G
C6+ Adhesive	RE-500V3	Pure50+ Pure100+ Pure220+	SET-XP SET-3G ET-3G



Red Head A7+ Dispensing Tools

Part Number	Description
RHA100	10oz. Manual Tool (RHA7P-10)
RHA102-V3	28oz. HD Manual Tool (RHA7P-28)
RHA200	28oz. Pneumatic Tool (RHA7P-28)
RHA300	28oz/30oz Battery Tool (A7P-28,C6P-30)



Red Head C6+ Dispensing Tools

Part Number	Description
RHD100	15.2oz HD Manual Tool (C6P-15)
RHD102	30.4oz HD Manual Tool (C6P-30)
RHD200	15.2oz Ergonomic Pneumatic Tool (C6P-15)

Part Number	Description
RHD202	30.4oz Pneumatic Tool (C6P-30)
RHD300	15.2oz Battery Tool (C6P-15)
RHA300	28oz/30oz Battery Tool (A7P-28 and C6P-30)



Dispensing Accessories

Part Number	Description	Used With	Box Qty
RHA24S	Short Nozzle	A7P-10, C6P-15	24
RHS55	Standard Nozzle	A7P-28, C6P-30	24
RHE55	Long Nozzle	A7P-28, C6P-30	24
RHS75	High Flow Nozzle	A7P-28, C6P-30	24



Adhesive Selection Guide



A7 + 28 oz.



RHA102-V3



RHA300

RHS55



Qty/Carton: 24 "Standard" Mixing Nozzle

RHE55



Qty/Carton: 24 "Long" Mixing Nozzle

RHS75



Qty/Carton: 24 "High Flow" Mixing Nozzle

A7 + 10 oz.



RHA100

RHA24S



Qty/Carton: 24 "Short" Mixing Nozzle

C6 + 30 oz.



RHD102



RHA300

RHS55



Qty/Carton: 24 "Standard" Mixing Nozzle

RHE55



Qty/Carton: 24 "Long" Mixing Nozzle

RHS75



Qty/Carton: 24 "High Flow" Mixing Nozzle

C6 + 15 oz.



RHD100

RHA24S



Qty/Carton: 24 "Short" Mixing Nozzle

Hollow Base Material Applications

Additional accessories available by special order:


- Hole Plugs: 3/8"-1-1/4"
- Piston Plugs
- Wire Brushes - 3/8" - 1-1/4"
- Wire Brush Extensions
- Blow Pump
- 6 Foot Tubing
- Stainless Steel Screen Tubes - 1/4"-3/4"
- Nylon Screen Tubes 3/8"-3/4"
- Stubby Screens - 1/4"- 5/8"
- Umbrella Anchor



HB Stainless Screen

HBP Nylon Screen

Zinc Plated Self-Drilling Screws



Zinc Plated - Hex Washer Head - Unslotted - Indented

Part Number	Size	Point	Drive Size	Drill & Tap Capacity	Weight per case	Qty Per Case
CIHHD-08012	8-18 x 1/2"	2	1/4"	22-15 gauge	35	10,000
CIHHD-08034	8-18 x 3/4"	2	1/4"	22-15 gauge	45	10,000
CIHHD-08100	8-18 x 1"	2	1/4"	22-15 gauge	44	8,000
CIHHD-08114	8-18 x 1-1/4"	2	1/4"	22-15 gauge	33	5,000
CIHHD-08112	8-18 x 1-1/2"	2	1/4"	22-15 gauge	38	5,000
CIHHD-10012	10-16 x 1/2"	2	5/16"	24-12 gauge	40	8,000
CIHHD-10034	10-16 x 3/4"	3	5/16"	24-12 gauge	50	8,000
CIHHD-10100	10-16 x 1"	3	5/16"	24-12 gauge	40	5,000
CIHHD-10114	10-16 x 1-1/4"	3	5/16"	24-12 gauge	37	4,000
CIHHD-10112	10-16 x 1-1/2"	3	5/16"	24-12 gauge	32	3,000
CIHHD-10200	10-16 x 2"	3	5/16"	24-12 gauge	26	2,000
CIHHD-10300	10-16 x 3"	3	5/16"	24-12 gauge	18	1,000
CIHHD-12034	12-14 x 3/4"	3	5/16"	20-12 gauge	33	4,000
CIHHD-12100	12-14 x 1"	3	5/16"	20-12 gauge	40	4,000
CIHHD-12114	12-14 x 1-1/4"	3	5/16"	20-12 gauge	35	3,000
CIHHD-12112	12-14 x 1-1/2"	3	5/16"	20-12 gauge	40	3,000
CIHHD-12200	12-14 x 2"	3	5/16"	20-12 gauge	33	2,000
CIHHD-12212	12-14 x 2-1/2"	3	5/16"	20-12 gauge	30	1,500
CIHHD-12300	12-14 x 3"	3	5/16"	20-12 gauge	23	1,000
CIHHD-12400	12-14 x 4"	3	5/16"	20-12 gauge	16	500
CIHHD-14034	14-14 x 3/4"	3	3/8"	18-8 gauge	50	4,000
CIHHD-14100	14-14 x 1"	3	3/8"	18-8 gauge	45	3,000
CIHHD-14114	14-14 x 1-1/4"	3	3/8"	18-8 gauge	35	2,000
CIHHD-14112	14-14 x 1-1/2"	3	3/8"	18-8 gauge	40	2,000
CIHHD-14134	14-14 x 1-3/4"	3	3/8"	18-8 gauge	34	1,500
CIHHD-14200	14-14 x 2"	3	3/8"	18-8 gauge	38	1,500
CIHHD-14212	14-14 x 2-1/2"	3	3/8"	18-8 gauge	30	1,000
CIHHD-14300	14-14 x 3"	3	3/8"	18-8 gauge	35	1,000
CIHHD-14400	14-14 x 4"	3	3/8"	18-8 gauge	22	500
CIHHD-14412	14-14 x 4-1/2"	3	3/8"	18-8 gauge	24	500
CIHHD-14500	14-14 x 5"	3	3/8"	18-8 gauge	27	500
CIHHD-14600	14-14 x 6"	3	3/8"	18-8 gauge	31	500

25% up charge for broken cases.

Pan Head - Phillips Drive - Zinc Plated



Part Number	Size	Point	Drive Size	Drill & Tap Capacity	Weight Per Case	Qty Per Case
CIPHD-08038	8-18 x 3/8"	2	#2	22-15 gauge	28	10,000
CIPHD-08012	8-18 x 1/2"	2	#2	22-15 gauge	32	10,000
CIPHD-08058	8-18 x 5/8"	2	#2	22-15 gauge	37	10,000
CIPHD-08034	8-18 x 3/4"	2	#2	22-15 gauge	42	10,000
CIPHD-08100	8-18 x 1"	2	#2	22-15 gauge	41	8,000
CIPHD-08114	8-18 x 1-1/4"	2	#2	22-15 gauge	31	5,000
CIPHD-08112	8-18 x 1-1/2"	2	#2	22-15 gauge	35	5,000
CIPHD-08200	8-18 x 2"	2	#2	22-15 gauge	27	3,000
CIPHD-10012	10-16 x 1/2"	2	#2	24-12 gauge	45	10,000
CIPHD-10058	10-16 x 5/8"	2	#2	24-12 gauge	52	10,000
CIPHD-10034	10-16 x 3/4"	3	#2	24-12 gauge	47	8,000
CIPHD-10100	10-16 x 1"	3	#2	24-12 gauge	38	5,000
CIPHD-10114	10-16 x 1-1/4"	3	#2	24-12 gauge	41	5,000
CIPHD-10112	10-16 x 1-1/2"	3	#2	24-12 gauge	40	4,000
CIPHD-10200	10-16 x 2"	3	#2	24-12 gauge	38	3,000
CIPHD-10212	10 x 2 1/2"	3	#2	24-12 gauge	21	1,500
CIPHD-10300	10-16 x 3"	3	#2	24-12 gauge	19	1,000

25% upcharge for broken cases.

Oval Head - Phillips Drive - Zinc Plated



Part Number	Size	Point	Drive Size	Drill & Tap Capacity	Weight Per Case	Qty Per Case
CIOHD-08034	8-18 x 3/4"	2	#2	22-15 gauge	40	10,000
CIOHD-08100	8-18 x 1"	2	#2	22-15 gauge	38	7,500
CIOHD-08114	8-18 x 1-1/4"	2	#2	22-15 gauge	36	6,000
CIOHD-08112	8-18 x 1-1/2"	2	#2	22-15 gauge	36	5,000

25% upcharge for broken cases.

Self-Drilling Screws with Bonded Washers

Hex Washer Head - Unslotted - Indented - Zinc Plated

Assembled with Bonded Neo-EPDM Washer




Part Number	Size	Point	Drive Size	Drill & Tap Capacity	Weight Per Case	Qty Per Case
CIBW-08012	8-18 x 1/2"	2	1/4"	22-15 gauge	28	5,000
CIBW-08034	8-18 x 3/4"	2	1/4"	22-15 gauge	33	5,000
CIBW-08100	8-18 x 1"	2	1/4"	22-15 gauge	30	4,000
CIBW-08114	8-18 x 1-1/4"	2	1/4"	22-15 gauge	26	3,000
CIBW-08112	8-18 x 1-1/2"	2	1/4"	22-15 gauge	24	2,500
CIBW-08200	8-18 x 2"	2	1/4"	22-15 gauge	29	2,500
CIBW-10012	10-16 x 1/2"	2	5/16"	24-12 gauge	30	4,000
CIBW-10058	10-16 x 5/8"	2	5/16"	24-12 gauge	32	4,000
CIBW-10034	10-16 x 3/4"	3	5/16"	24-12 gauge	35	4,000
CIBW-10100	10-16 x 1"	3	5/16"	24-12 gauge	32	3,000
CIBW-10114	10-16 x 1-1/4"	3	5/16"	24-12 gauge	30	2,500
CIBW-10112	10-16 x 1-1/2"	3	5/16"	24-12 gauge	26	2,000
CIBW-10200	10-16 x 2"	3	5/16"	24-12 gauge	23	1,500
CIBW-10300	10-16 x 3"	3	5/16"	24-12 gauge	21	1,000
CIBW-12034	12-14 x 3/4"	3	5/16"	20-12 gauge	32	3,000
CIBW-12100	12-14 x 1"	3	5/16"	20-12 gauge	37	3,000
CIBW-12114	12-14 x 1-1/4"	3	5/16"	20-12 gauge	35	2,500
CIBW-12112	12-14 x 1-1/2"	3	5/16"	20-12 gauge	31	2,000
CIBW-12200	12-14 x 2"	3	5/16"	20-12 gauge	29	1,500
CIBW-12212	12-14 x 2-1/2"	3	5/16"	20-12 gauge	22	1,000
CIBW-12300	12-14 x 3"	3	5/16"	20-12 gauge	26	1,000
CIBW-12400	12-14 x 4"	3	5/16"	20-12 gauge	16	500
CIBW-14034	14-14 x 3/4"	3	3/8"	18-8 gauge	45	3,000
CIBW-14100	14-14 x 1"	3	3/8"	18-8 gauge	44	2,500
CIBW-14114	14-14 x 1-1/4"	3	3/8"	18-8 gauge	40	2,000
CIBW-14112	14-14 x 1-1/2"	3	3/8"	18-8 gauge	45	2,000
CIBW-14134	14-14 x 1-3/4"	3	3/8"	18-8 gauge	38	1,500
CIBW-14200	14-14 x 2"	3	3/8"	18-8 gauge	41	1,500
CIBW-14212	14-14 x 2-1/2"	3	3/8"	18-8 gauge	33	1,000
CIBW-14300	14-14 x 3"	3	3/8"	18-8 gauge	38	1,000
CIBW-14400	14-14 x 4"	3	3/8"	18-8 gauge	23	500
CIBW-14500	14-14 x 5"	3	3/8"	18-8 gauge	27	500

Sold in full case quantities only.

410 Stainless Steel Self-Drilling Screws

Hex Washer Head - Unslotted - Indented

Super Passivated and Waxed or Zinc Plated on Stainless



Part Number	Size	Point	Drive Size	Drill & Tap Capacity	Weight Per Case	Qty Per Case
FOHHD-08012	8-18 x 1/2"	2	1/4"	22-15 gauge	28	5,000
FOHHD-08034	8-18 x 3/4"	2	1/4"	22-15 gauge	23	5,000
FOHHD-08100	8-18 x 1"	2	1/4"	22-15 gauge	22	4,000
FOHHD-10012	10-16 x 1/2"	2	5/16"	24-12 gauge	26	5,000
FOHHD-10034	10-16 x 3/4"	3	5/16"	24-12 gauge	25	4,000
FOHHD-10100	10-16 x 1"	3	5/16"	24-12 gauge	24	3,000
FOHHD-10200	10-16 x 2"	3	5/16"	24-12 gauge	15	1,500
FOHHD-10114	10-16 x 1-1/4"	3	5/16"	24-12 gauge	23	2,500
FOHHD-10112	10-16 x 1-1/2"	3	5/16"	24-12 gauge	21	2,000
FOHHD-10200	10-16 x 2"	3	5/16"	24-12 gauge	15	1,500
FOHHD-12034	12-14 x 3/4"	3	5/16"	20-12 gauge	33	4,000
FOHHD-12100	12-14 x 1"	3	5/16"	20-12 gauge	30	3,000
FOHHD-12114	12-14 x 1-1/4"	3	5/16"	20-12 gauge	35	3,000
FOHHD-12112	12-14 x 1-1/2"	3	5/16"	20-12 gauge	33	2,500
FOHHD-12200	12-14 x 2"	3	5/16"	20-12 gauge	33	2,000
FOHHD-12212	12-14 x 2-1/2"	3	5/16"	20-12 gauge	18	1,000
FOHHD-12300	12-14 x 3"	3	5/16"	20-12 gauge	18	1,000
FOHHD-12400	12-14 x 4"	3	5/16"	20-12 gauge	19	1,000
FOHHD-14034	14-14 x 3/4"	3	3/8"	18-8 gauge	38	3,000
FOHHD-14100	14-14 x 1"	3	3/8"	18-8 gauge	38	2,500
FOHHD-14114	14-14 x 1-1/4"	3	3/8"	18-8 gauge	35	2,000
FOHHD-14112	14-14 x 1-1/2"	3	3/8"	18-8 gauge	30	1,500
FOHHD-14200	14-14 x 2"	3	3/8"	18-8 gauge	25	1,000
FOHHD-14212	14-14 x 2-1/2"	3	3/8"	18-8 gauge	24	800
FOHHD-14300	14-14 x 3"	3	3/8"	18-8 gauge	17	500
FOHHD-14400	14-14 x 4"	3	3/8"	18-8 gauge	22	500
FOHHD-14500	14-14 x 5"	3	3/8"	18-8 gauge	13	250
FOHHD-14600	14-14 x 6"	3	3/8"	18-8 gauge	16	250

**Special order items sold in full case quantities.*

410 Stainless Steel Self Drilling Screws with Bonded Washer



Hex Washer Head - Unslotted - Indented

Super Passivated & Waxed or Zinc Plated on Stainless

Assembled with Stainless Backed Bonded Neo-EPDM Washer

Part Number	Size	Point	Drive Size	Drill & Tap Capacity	Weight Per Case	Qty Per Case
FOBW-10034	10-16 x 3/4"	3	5/16"	24-14 gauge	35	4,000
FOBW-10100	10-16 x 1"	3	5/16"	24-14 gauge	31	3,000
FOBW-10114	10-16 x 1-1/4"	3	5/16"	24-14 gauge	30	2,500
FOBW-10112	10-16 x 1-1/2"	3	5/16"	24-14 gauge	26	2,000
FOBW-10200	10-16 x 2"	3	5/16"	24-14 gauge	22	1,500
FOBW-12034	12-14 x 3/4"	3	5/16"	20-12 gauge	32	3,000
FOBW-12100	12-14 x 1"	3	5/16"	20-12 gauge	37	3,000
FOBW-12114	12-14 x 1-1/4"	3	5/16"	20-12 gauge	35	2,500
FOBW-12112	12-14 x 1-1/2"	3	5/16"	20-12 gauge	39	2,500
FOBW-12200	12-14 x 2"	3	5/16"	20-12 gauge	28	1,500
FOBW-12212	12-14 x 2-1/2"	3	5/16"	20-12 gauge	22	1,000
FOBW-12300	12-14 x 3"	3	5/16"	20-12 gauge	21	1,000
FOBW-12400	12-14 x 4"	3	5/16"	20-12 gauge	23	1,000
FOBW-14034	14-14 x 3/4"	3	3/8"	18-8 gauge	45	3,000
FOBW-14100	14-14 x 1"	3	3/8"	18-8 gauge	44	2,500
FOBW-14114	14-14 x 1-1/4"	3	3/8"	18-8 gauge	40	2,000
FOBW-14112	14-14 x 1-1/2"	3	3/8"	18-8 gauge	34	1,500
FOBW-14200	14-14 x 2"	3	3/8"	18-8 gauge	28	1,000
FOBW-14212	14-14 x 2-1/2"	3	3/8"	18-8 gauge	26	800
FOBW-14300	14-14 x 3"	3	3/8"	18-8 gauge	18	500
FOBW-14400	14-14 x 4"	3	3/8"	18-8 gauge	22	500
FOBW-14500	14-14 x 5"	3	3/8"	18-8 gauge	14	250

**Special order items sold in full case quantities.*



ITW Buildex Tek[®] for Light Duty Applications

Hex Washer Head - Sharp Convex Point - Climaseal™
Exterior Coated



Part Number	Size	Point	Drive	Drill & Tap Capacity	Weight Per Case	Qty Per Case
BX-1196200	8-18 x 1/2"	2	1/4"	20-12 gauge	35	10,000
BX-1397000	10-16 x 1/2"	3	5/16"	20-7 gauge	29	5,000
BX-1127000	10-16 x 5/8"	3	5/16"	20-7 gauge	32	5,000
BX-1128000	10-16 x 3/4"	3	5/16"	20-7 gauge	34	5,000
BX-1129000	10-16 x 1"	3	5/16"	20-7 gauge	41	5,000
BX-1130000	10-16 x 1-1/4"	3	5/16"	20-7 gauge	38	4,000
BX-1131000	10-16 x 1-1/2"	3	5/16"	20-7 gauge	33	3,000

25% upcharge for broken cases.

ITW Buildex Tek[®] for Medium Duty Applications

Hex Washer Head - Sharp Convex Point - Climaseal™
Exterior Coated



Part Number	Size	Point	Drive	Drill & Tap Capacity	Weight Per Case	Qty Per Case
BX-1087000	12-14 x 3/4"	3	5/16"	20-5 gauge	42	5,000
BX-1136000	12-14 x 1"	3	5/16"	20-5 gauge	40	4,000
BX-1120000	12-14 x 1-1/4"	2	5/16"	20-5 gauge	46	4,000
BX-1123000	12-14 x 1-1/2"	2	5/16"	20-5 gauge	33	2,500
BX-1140000	12-14 x 2"	3	5/16"	20-5 gauge	34	2,000
BX-1553000	12-14 x 2-1/2"	3	5/16"	20-5 gauge	24	1,000
BX-1143000	12-14 x 3"	3	5/16"	20-5 gauge	23	1,000
BX-1146000	12-14 x 4"	3	5/16"	20-5 gauge	14	500
BX-1147000	1/4-14 x 3/4"	3	3/8"	20-5 gauge	38	3,000
BX-1149000	1/4-14 x 1"	3	3/8"	20-5 gauge	38	2,500
BX-1150000	1/4-14 x 1-1/4"	3	3/8"	20-5 gauge	34	2,000
BX-1152000	1/4-14 x 1-1/2"	3	3/8"	20-5 gauge	39	2,000
BX-1155000	1/4-14 x 2"	3	3/8"	20-5 gauge	37	1,500
BX-1157000	1/4-14 x 3"	3	3/8"	20-5 gauge	33	1,000
BX-1304000	1/4-14 x 4"	3	3/8"	20-5 gauge	21	500

25% upcharge for broken cases.

ITW Buildex Tek[®] for Heavy Duty Applications

Hex Washer Head - Notched Threads - Double Fluted Point

Climaseal Exterior Coated



Part Number	Size	Point	Drive	Drill & Tap Capacity	Weight Per Case	Qty Per Case
BX-1007000	12-24 x 1-1/4"	5	5/16"	20-5 gauge	49	4,000
BX-1770000	12-24 x 1-1/2"	5.0	5/16"	20-5 gauge	37	2,500
BX-1088000	12-24 x 7/8"	4	5/16"	1/8"-1/4"	48	5,000
BX-1414000	12-24 x 1-1/4"	4.5	5/16"	1/8"-3/8"	52	4,000
BX-1007000	12-24 x 1-1/4"	5.0	5/16"	1/8"-1/2"	37	4,000
BX-1070000	12-24 x 1-1/2"	5	5/16"	1/8"-1/2"	36	2,500
BX-1072000	12-24 x 2"	5	5/16"	1/8"-1/2"	37	2,000
BX-1074000	1/4-28 x 3"	5	5/16"	1/8"-1/2"	34	1,000
BX-1075000	1/4-28 x 4"	5	5/16"	1/8"-1/2"	22	500
BX-1641000	1/4-28 x 5"	5	3/8"	1/8"-1/2"	15	250
BX-1431000	1/4-28 x 6"	5	3/8"	1/8"-1/2"	17	250
BX-1590000	1/4-28 x 8"	5	3/8"	1/8"-1/2"	13	150

25% upcharge for broken cases.

Visit www.itwbuildex.com for literature, technical information & training modules for ITWBuildex products.

ITW Buildex Wood-to-Metal- Tek[®] Self-Drilling Screws

Gray Spex™ Exterior Coated



Part Number	Description	Point	Drive	Wood Attachment Range	Drill & Tap Capacity	Weight Per Case	Qty Per Case
BX-1079000	10-24 x 1" Wafer Head	3	#2	1/4"-1/2"	20-7 gauge	37	5,000
BX-1791000	10-16 x 1-13/16" Phillips-Square Drive Flat Head	3	#2	1/4"-3/4"	20-7 gauge	25	2,500
BX-1082000	10-24 x 1-7/16" Phillips Drive Flat Head w/ Wings	3	#2	1/4"-3/4"	20-7 gauge	29	3,000
BX-1092000	12-24 x 2-1/4" Phillips Drive Flat Head w/ Wings	4	#3	3/4"-1 3/8"	1/8"-1/4"	38	2,000
BX-1094000	12-24 x 2 3/4" Phillips Drive Flat Head w/ Wings	4	#3	3/4"-1 5/8"	1/8"-1/4"	32	1,500
BX-1096000	1/4-20 x 3" Phillips Drive Flat Head w/ Wings	4	#3	3/4"-2"	1/8"-1/4"	29	1,000



ITW Buildex Tek[®] with Bonded Washers

Hex Washer Head - Climaseal™ Exterior Coated

Assembled with 9/16" EPDM Bonded Washer



Part Number	Size	Point	Drive Size	Drill & Tap Capacity	Weight Per Case	Qty Per Case
BX-1005000	10-16 x 3/4"	3	5/16"	20-7 gauge	30	3,000
BX-1308000	10-16 x 1-1/2"	3	5/16"	20-7 gauge	34	2,500
BX-1009000	12-14 x 3/4"	3	5/16"	20-5 gauge	32	3,000
BX-1011000	12-14 x 1"	3	5/16"	20-5 gauge	36	3,000
BX-1404000	12-14 x 1-1/2"	2	5/16"	20-5 gauge	30	2,000
BX-1016000	12-14 x 2"	3	5/16"	20-5 gauge	28	1,500
BX-1333000	12-14 x 3"	3	5/16"	20-5 gauge	26	1,000
BX-1160000	1/4-14 x 1"	3	3/8"	20-5 gauge	44	2,500
BX-1019000	1/4-14 x 1-1/4"	3	3/8"	20-5 gauge	41	2,000
BX-1021000	1/4-14 x 2"	3	3/8"	20-5 gauge	27	1,000

ITW Buildex Tek[®] with Bonded Washers

Hex Washer Head - Notched Threads - Double Fluted Point

Climaseal™ Exterior Coated - Assembled with 9/16" EPDM Bonded Washer



Part Number	Size	Point	Drive Size	Drill & Tap Capacity	Weight Per Case	Qty Per Case
BX-1010000	12-24 x 7/8"	4	5/16"	1/8"-1/4"	34	3,000
BX-1415000	12-24 x 1-1/4"	4.5	5/16"	1/8"-3/8"	39	2,500
BX-1000000	12-24 x 1-1/4"	5	5/16"	1/8"-1/2"	36	2,500
BX-1607000	12-24 x 1/4"	5.0	5/16"	1/8"-1/2"	37	2,500
BX-1001000	12-24 x 1-1/2"	5	5/16"	1/8"-1/2"	33	2,000
BX-1670000	12-24 x 1-1/2"	5.0	5/16"	1/8"-1/2"	34	2,000
BX-1002000	12-24 x 2"	5	5/16"	1/8"-1/2"	33	1,500
BX-1003000	1/4-28 x 3"	5	5/16"	1/8"-1/2"	35	1,000
BX-1004000	1/4-28 x 4"	5	5/16"	1/8"-1/2"	18	500
BX-1647000*	1/4-28 x 5"	5	3/8"	1/8"-1/2"	16	250
BX-1619000*	1/4-28 x 8"	5	3/8"	1/8"-1/2"	14	150

*3/4" EPDM Bonded Washer

25% upcharge for broken cases.

Visit www.itwbuildex.com for literature, technical information & training modules for ITWBuildex products.

Quality Drywall Screws

Coarse Thread - Bugle Head - #2 Phillips Drive

Black Phosphate - Sharp Point For Attaching to Interior Wood



Part Number	Size	Drive	Weight Per Case	Qty Per Case
IFDWC-06100	6 x 1"	#2 Phillips	29	10,000
IFDWC-06118	6 x 1-1/8"	#2 Phillips	32	10,000
IFDWC-06114	6 x 1-1/4"	#2 Phillips	30	8,000
IFDWC-06158	6 x 1-5/8"	#2 Phillips	22	5,000
IFDWC-07200	7 x 2"	#2 Phillips	21	3,500
IFDWC-07214	7 x 2-1/4"	#2 Phillips	20	3,000
IFDWC-08212	8 x 2-1/2"	#2 Phillips	19	2,500
IFDWC-08300	8 x 3"	#2 Phillips	21	2,000
IFDWC-10400	10 x 4"	#2 Phillips	24	1,000

Quality Drywall Screws

Fine Thread - Bugle Head - #2 Phillips Drive

Black Phosphate - Sharp Point For Attaching to Light Gauge Metal (25-20 gauge)



Part Number	Size	Drive	Weight Per Case	Qty Per Case
IFDWS-06100	6 x 1"	#2 Phillips	29	10,000
IFDWS-06118	6 x 1-1/8"	#2 Phillips	32	10,000
IFDWS-06114	6 x 1-1/4"	#2 Phillips	30	8,000
IFDWS-06158	6 x 1-5/8"	#2 Phillips	22	5,000
IFDWS-06200	6 x 2"	#2 Phillips	22	3,500
IFDWS-07214	7 x 2-1/4"	#2 Phillips	20	3,000
IFDWS-08212	8 x 2-1/2"	#2 Phillips	19	2,500
IFDWS-08300	8 x 3"	#2 Phillips	21	2,000



Economy Drywall Screws

Coarse Thread - Bugle Head - #2 Phillips Drive

Black Phosphate - Sharp Point

For Attaching to Interior Wood



Part Number	Size	Drive	Weight Per Case	Qty Per Case
CIDWC-06100	6 x 1"	#2 Phillips	30	10,000
CIDWC-06118	6 x 1-1/8"	#2 Phillips	33	10,000
CIDWC-06114	6 x 1-1/4"	#2 Phillips	29	8,000
CIDWC-06158	6 x 1-5/8"	#2 Phillips	22	5,000
CIDWC-06200	6 x 2"	#2 Phillips	19	3,500
CIDWC-06214	6 x 2-1/4"	#2 Phillips	18	3,000
CIDWC-08212	8 x 2-1/2"	#2 Phillips	22	2,500
CIDWC-08300	8 x 3"	#2 Phillips	21	2,000

Economy Drywall Screws

Fine Thread - Bugle Head - #2 Phillips Drive

Black Phosphate - Sharp Point

For Attaching to Light Gauge Metal (25-20 gauge)



Part Number	Size	Drive	Weight Per Case	Qty Per Case
CIDWS-06100	6 x 1"	#2 Phillips	30	10,000
CIDWS-06118	6 x 1-1/8"	#2 Phillips	33	10,000
CIDWS-06114	6 x 1-1/4"	#2 Phillips	28	8,000
CIDWS-06158	6 x 1-5/8"	#2 Phillips	22	5,000
CIDWS-06200	6 x 2"	#2 Phillips	19	3,500
CIDWS-06214	6 x 2-1/4"	#2 Phillips	18	3,000
CIDWS-08212	8 x 2-1/2"	#2 Phillips	22	2,500
CIDWS-08300	8 x 3"	#2 Phillips	21	2,000



Self-Drilling Drywall Screws



Bugle Head - #2 Phillips Drive - Zinc Plated - Drill Point

For Attaching to 20-16 Gauge Metal

Part Number	Size	Drive	Weight Per Case	Qty Per Case
CIBDZ-06114	6 x 1-1/4"	#2 Phillips	32	8,000
CIBDZ-06158	6 x 1-5/8"	#2 Phillips	25	5,000
CIBDZ-06178	6 x 1-7/8"	#2 Phillips	23	4,000
CIBDZ-08238	8 x 2-3/8"	#2 Phillips	24	2,500
CIBDZ-08258	8 x 2-5/8"	#2 Phillips	22	2,000
CIBDZ-08300	8 x 3"	#2 Phillips	24	2,000
CIBDZ-10400	10 x 4"	#2 Phillips	20	1,000
CIBDZ-10500	10 x 5"	#2 Phillips	20	500

Wall Panel Screws



Bugle Head - #2 Phillips Drive - Ceramic Coated - Drill Point

Part Number	Size	Drive	Weight Per Case	Qty Per Case
IFWP-06158	6 x 1-5/8"	#2 Phillips	5	1,000
IFWP-06200	6 x 2"	#2 Phillips	7	1,000
IFWP-08212	8 x 2-1/2"	#2 Phillips	10	1,000
IFWP-08300	8 x 3"	#2 Phillips	12	1,000
IFWP-10312	10 x 3-1/2"	#2 Phillips	18	1,000
IFWP-10400	10 x 4"	#2 Phillips	21	1,000
IFWP-10412	10 x 4-1/2"	#2 Phillips	24	1,000
IFWP-10512	10 x 5-1/2"	#2 Phillips	28	1,000
IFWP-10600	10 x 6"	#2 Phillips	31	1,000

*Sold in full case quantities only.

Lath & Plaster Washer - Galvanized for #6 - #10 Screws 

Part Number	Size	Weight Per Case	Qty Per Case
TFW-GPPW-L-1250	1-1/4"	7	1,000



Prong Washer - Black - Plastic 

Part Number	Size	Weight Per Case	Qty Per Case
TFW-TGP-2000	2"	9	1,000



Long Length Drywall Screws

Bugle Head - #2 Phillips Drive - Black Phosphate

Black Phosphate - Sharp Point

Sharp Point - Coarse Thread



Part Number	Size	Drive	Weight Per Case	Qty Per Case
CIDWC-10312	10 x 3-1/2"	#2 Phillips	18	1,000
CIDWC-10400	10 x 4"	#2 Phillips	17	800
CIDWC-10412	10 x 4-1/2"	#2 Phillips	12	500
CIDWC-10500	10 x 5"	#2 Phillips	14	500
CIDWC-10600	10 x 6"	#2 Phillips	16	500

High and Low Thread Screws

Bugle Head - #2 Phillips Drive - Black Phosphate - Sharp Point



Part Number	Size	Drive	Weight Per Case	Qty Per Case
CIDHL-06100	6 x 1"	#2 Phillips	30	10,000
CIDHL-06114	6 x 1-1/4"	#2 Phillips	30	8,000
CIDHL-06158	6 x 1-5/8"	#2 Phillips	22	5,000
CIDHL-06200	6 x 2"	#2 Phillips	19	3,500
CIDHL-06214	6 x 2-1/4"	#2 Phillips	18	3,000
CIDHL-08212	8 x 2-1/2"	#2 Phillips	22	2,500
CIDHL-08300	8 x 3"	#2 Phillips	20	2,000

Particle Board Screws

Flat Head - #2 Phillips Drive - Deep Thread with Nibs

Zinc Plated - Type 17 Point



Part Number	Size	Drive	Weight Per Case	Qty Per Case
CIPAB-08100	8 x 1"	#2 Phillips	40	10,000
CIPAB-08114	8 x 1-1/4"	#2 Phillips	35	8,000
CIPAB-08112	8 x 1-1/2"	#2 Phillips	33	6,000
CIPAB-08158	8 x 1-5/8"	#2 Phillips	25	5,000
CIPAB-08200	8 x 2"	#2 Phillips	23	3,500
CIPAB-09212	9 x 2-1/2"	#2 Phillips	23	2,500
CIPAB-09300	9 x 3"	#2 Phillips	22	2,000



Rock-On Cement Board Screws

Ribbed Wafer Head - #2 Phillips Drive - Coated
Hi-Lo® Thread - "S" Point



Part Number	Size	Drive	Weight Per Case	Qty Per Case
CICBCHL-08114	8 x 1-1/4"	#2	31	5,000
CICBCHL-08158	8 x 1-5/8"	#2	30	4,000
CICBCHL-08214	8 x 2-1/4"	#2	25	2,000
IFCBGHL-08238	8 x 2-3/8"	#2	30	3,000

Ribbed Wafer Head - #2 Phillips Drive Point - Climacoat™ Coated
S-12 Drill Point



Part Number	Size	Drive	Weight Per Case	Qty Per Case
BX-2156500	8 x 1-1/4"	#2	29	5,000
BX-2159500	8 x 1-5/8"	#2	29	4,000

Dec-King™ Deck Screws

Climacoat™ Coated - Bugle Head - #2 Phillips Drive
Sharp Point - Coarse Thread



Phillips Drive Part Number	Square Drive Part Number	Drive	Size	Weight Per Case	Qty Per Case
BX-2176500		#2	6 x 1-1/4"	31	8,000
BX-2136500		#2	6 x 1-5/8"	25	5,000
BX-2138500		#2	7 x 2"	24	3,500
BX-2140500	BX-2180500	#2	8 x 2-1/2"	24	2,500
BX-2141500	BX-2181500	#2	8 x 3"	24	2,000
BX-2142500	BX-2182500	#2	10 x 3-1/2"	19	1,000

Stainless Steel Deck Screws

305 Stainless Steel - Bugle Head
Type 17 Point - Coarse Thread



Part Number	Drive	Size	Weight Per Case	Qty Per Case
CISSD-08114	T-20	8 x 1-1/4"	23	5,000
CISSD-08158	T-20	8 x 1-5/8"	23	4,000
CISSD-08200	T-20	8 x 2"	22	3,000
CISSD-10212	T-25	10 x 2-1/2"	24	2,000
CISSD-10300	T-25	10 x 3"	22	1,500
CISSD-10312	T-25	10 x 3-1/2"	17	1,000

Star Drive Yellow Zinc Screws



True Flat Head with Cutting Nibs - Star (6 Lobe) Drive - Deep, Wide, Sharp Thread

Type 17 Notched Extra Sharp Point - Knurled Shoulder Yellow Zinc Coating

Part Number	Size	Drive	Weight Per Case	Qty Per Case
WBYTX-08100	8 x 1"	T-20	36	10,000
WBYTX-08114	8 x 1-1/4"	T-20	37	9,000
WBYTX-08112	8 x 1-1/2"	T-20	34	6,500
WBYTX-08134	8 x 1-3/4"	T-20	23	4,000
WBYTX-08200	8 x 2"	T-20	23	3,500
WBYTX-08212	8 x 2-1/2"	T-20	21	2,500
WBYTX-09200	9 x 2"	T-25	26	3,000
WBYTX-09212	9 x 2-1/2"	T-25	27	2,500
WBYTX-09234	9 x 2-3/4"	T-25	23	2,000
WBYTX-09300	9 x 3"	T-25	25	2,000
WBYTX-09318	9 x 3-1/8"	T-25	24	1,800
WBYTX-10112	10 x 1-1/2"	T-25	23	3,000
WBYTX-10200	10 x 2"	T-25	26	2,500
WBYTX-10212	10 x 2-1/2"	T-25	26	2,000
WBYTX-10300	10 x 3"	T-25	23	1,500
WBYTX-10318	10 x 3-1/8"	T-25	24	1,500
WBYTX-10312	10 x 3-1/2"	T-25	18	1,000
WBYTX-10400	10 x 4"	T-25	20	1,000
WBYTX-10500	10 x 5"	T-25	19	750
WBYTX-10600	10 x 6"	T-25	18	600

***Screws that are zinc plated may rust and cause streaking and/or staining in some exterior applications. Do not use if streaking or staining is unacceptable. Sold in full case quantities only.*



Star Drive Deck Screws



True Flat Head with Cutting Nibs - Star (6 Lobe) Drive - Deep, Wide, Sharp Thread

Type 17 Notched Extra Sharp Point - Knurled Shoulder

1200-Hour Bronze Triple Ceramic Exterior Coating - Compatible with Pressure Treated Lumber

Part Number	Size	Drive	Weight Per Case	Qty Per Case
WBBTX-08114	8 x 1-1/4"	T-20	40	9,000
WBBTX-08112	8 x 1-1/2"	T-20	33	6,500
WBBTX-08134	8 x 1-3/4"	T-20	24	4,000
WBBTX-08200	8 x 2"	T-20	24	3,500
WBBTX-09112	9 x 1-1/2"	T-25	24	3,500
WBBTX-09200	9 x 2"	T-25	26	3,000
WBBTX-09212	9 x 2-1/2"	T-25	27	2,500
WBBTX-09234	9 x 2-3/4"	T-25	24	2,000
WBBTX-09300	9 x 3"	T-25	25	2,000
WBBTX-09318	9 x 3-1/8"	T-25	25	1,800
WBBTX-10200	10 x 2"	T-25	26	2,500
WBBTX-10212	10 x 2-1/2"	T-25	26	2,000
WBBTX-10300	10 x 3"	T-25	23	1,500
WBBTX-10312	10 x 3-1/2"	T-25	18	1,000
WBBTX-10400	10 x 4"	T-25	21	1,000
WBBTX-10500	10 x 5"	T-25	20	750
WBBTX-10600	10 x 6"	T-25	18	600
WBBTX-14500	14 X 5"	T-30	17	500
WBBTX-14600	14 X 6"	T-30	21	500
WBBTX-14700	14 X 7"	T-30	24	500
WBBTX-14800	14 X 8"	T-30	28	500

Sold in full case quantities only.

Star Drive Trim Head Screws



True Flat with Cutting Nibs - #20 Star (6 Lobe) Drive - Deep, Wide, Sharp Thread

Type 17 Notched Extra Sharp Point - Knurled Shoulder

1200-Hour Bronze Triple Ceramic Exterior Coating - Compatible with Pressure Treated Lumber

Part Number	Size	Drive	Weight Per Case	Qty Per Case
WBTHB-09158	9 x 1-5/8"	T-20	25	4,000
WBTHB-09200	9 x 2"	T-20	23	3,000
WBTHB-09212	9 x 2-1/2"	T-20	24	2,500
WBTHB-09300	9 x 3"	T-20	22	2,000
WBTHB-09400	9 x 4"	T-20	23	1,500
WBTHB-09500	9 x 5"	T-20	21	1,000
WBTHB-09600	9 X 6"	T-20	15	1,000

Sold in full case quantities only.

Star Drive Stainless Screws



True Flat Head with Cutting Nibs - Star (6 Lobe) Drive - Deep, Wide, Sharp Thread
Type 17 Notched Point - 305 Stainless

Part Number	Size	Drive	Weight Per Case	Qty Per Case
WBSTX-08114	8 x 1-1/4"	T-20	38	9,000
WBSTX-08112	8 x 1-1/2"	T-20	33	6,500
WBSTX-08200	8 x 2"	T-20	23	3,500
WBSTX-09158	9 x 1-5/8"	T-25	26	4,000
WBSTX-09200	9 x 2"	T-25	25	3,000
WBSTX-09212	9 x 2-1/2"	T-25	25	2,500
WBSTX-09300	9 x 3"	T-25	24	2,000
WBSTX-10212	10 x 2-1/2"	T-25	24	2,000
WBSTX-10300	10 x 3"	T-25	22	1,500
WBSTX-10312	10 x 3-1/2"	T-25	17	1,000
WBSTX-10400	10 x 4"	T-25	19	1,000

Sold in full case quantities only.

Star Drive Stainless Trim Head Screws



True Flat Head with Cutting Nibs - #20 Star (6 Lobe) Drive - Deep, Wide, Sharp Thread
Type 17 Notched Point - 305 Stainless

Part Number	Size	Drive	Weight Per Case	Qty Per Case
WBSTH-09158	9 x 1-5/8"	T-20	23	4,000
WBSTH-09214	9 x 2-1/4"	T-20	20	2,500
WBSTH-09212	9 x 2-1/2"	T-20	22	2,500
WBSTH-09300	9 x 3"	T-20	22	2,000
WBSTH-09400	9 x 4"	T-20	22	1,500

Sold in full case quantities only.

Star Drive Construction Lag Screws



Round Washer Head with Cutting Nibs - Star (6 Lobe) Drive

Type 17 Extra Sharp Point - Deep, Wide, Sharp Thread

1200-Hour Bronze Triple Ceramic Exterior Coated - Compatible with Pressure Treated Lumber

Part Number	Size	Drive	Weight Per Case	Qty Per Case
WBCTX-14100	14 x 1"	T-25	17	2,000
WBCTX-14112	14 x 1-1/2"	T-25	17	1,500
WBCTX-14200	14 x 2"	T-25	14	1,000
WBCTX-14212	14 x 2-1/2"	T-25	13	750
WBCTX-14300	14 x 3"	T-25	12	600
WBCTX-14400	14 x 4"	T-25	14	500
WBCTX-14500	14 x 5"	T-25	17	500
WBCTX-14600	14 x 6"	T-25	16	400
WBCTX-15200	15 x 2"	T-30	16	700
WBCTX-15212	15 x 2-1/2"	T-30	16	600
WBCTX-15300	15 x 3"	T-30	16	500
WBCTX-15312	15 x 3-1/2"	T-30	18	500
WBCTX-15400	15 x 4"	T-30	16	400
WBCTX-15500	15 x 5"	T-30	17	350
WBCTX-15600	15 x 6"	T-30	18	300
WBCTX-17700	17 x 7"	T-40	21	250
WBCTX-17800	17 x 8"	T-40	24	250
WBCTX-17100	17 x 10"	T-40	30	250
WBCTX-17160	17 x 16"	T-40	48	250
WBCTX-17400	17 x 4"	T-40	19	350
WBCTX-17500	17 x 5"	T-40	21	300
WBCTX-17600	17 x 6"	T-40	20	250

Sold in full case quantities only.

Star Drive Finish Screws



T-10 Star Drive - Type 17 Set-Back Point - Knurled Shoulder

Strong, Extra-Small Finish Head - Yellow Zinc Coating

Part Number	Size	Drive	Weight Per Case	Qty Per Case
WBFS-07114	7 x 1-1/4"	T-10	24	7,000
WBFS-07158	7 x 1-5/8"	T-10	25	5,500
WBFS-07200	7 x 2"	T-10	23	4,000
WBFS-07212	7 x 2-1/2"	T-10	21	3,000
WBFS-07300	7 x 3"	T-10	21	2,500

Sold in full case quantities only.



Features

- No pre-drilling required
- Code listings ICC-ES ESR-1782
- Low profile, large diameter head designs provide exceptional draw down of even rogue logs.
- Deep T-Star Drive provides superior bit engagement and allows for easy backout of the fastener if necessary when the head is countersunk.
- Patented thread serrations require up to 40% less driving torque to increase installation speed, while helping to prevent cracking in logs.
- Proprietary coating provides excellent corrosion resistance and prevents staining wet logs.
- Fastener length stamp on the head provides convenient identification without measuring and aids on-site inspections.
- German engineered thread technology; American made.

SPAX® Hex Washer Head



Zinc Coating- Interior Use

PART NUMBER	Description	Drive Bit	Thread	Qty Per Case
SPX-4571010700505	1/4 x 2 PWR LAG HEX HEAD	3/8 Hex	Full	200
SPX-4571010700755	1/4 x 3 PWR LAG HEX HEAD	3/8 Hex	Full	200
SPX-4571010700905	1/4 x 3-1/2 PWR LAG HEX HEAD	3/8 Hex	Full	200
SPX-4571010701005	1/4 x 4 PWR LAG HEX HEAD	3/8 Hex	Partial	200
SPX-4571010701155	1/4 x 4-1/2 PWR LAG HEX HEAD	3/8 Hex	Partial	200
SPX-4571010701275	1/4 x 5 PWR LAG HEX HEAD	3/8 Hex	Partial	200
SPX-4571010701525	1/4 x 6 PWR LAG HEX HEAD	3/8 Hex	Partial	200
SPX-4571010800755	5/16 x 3 PWR LAG HEX HEAD	7/16 Hex	Full	200
SPX-4571010801005	5/16 x 4 PWR LAG HEX HEAD	7/16 Hex	Partial	200
SPX-4571011001275	3/8 x 5 PWR LAG HEX HEAD	1/2 Hex	Partial	100
SPX-4571011001525	3/8 x 6 PWR LAG HEX HEAD	1/2 Hex	Partial	100
SPX-4571011201275	1/2 x 5 PWR LAG HEX HEAD	5/8 Hex	Partial	100
SPX-4571011201525	1/2 x 6 PWR LAG HEX HEAD	5/8 Hex	Partial	100

Sold in full case quantities only.

SPAX® Hex Washer Head

High Corrosion Resistant (HCR)- Exterior Use



PART NUMBER	Description	Drive Bit	Thread	Qty Per Case
SPX-4571820700505	1/4 x 2 PWR LAG HEX HEAD	3/8 Hex	Full	200
SPX-4571820700755	1/4 x 3 PWR LAG HEX HEAD	3/8 Hex	Full	200
SPX-4571820701275	1/4 x 5 PWR LAG HEX HEAD	3/8 Hex	Partial	200
SPX-4571820701525	1/4 x 6 PWR LAG HEX HEAD	3/8 Hex	Partial	200
SPX-4571820800755	5/16 x 3 PWR LAG HEX HEAD	7/16 Hex	Full	200
SPX-4571820800905	5/16 x 3-1/2 PWR LAG HEX HEAD	7/16 Hex	Full	200
SPX-4571820801005	5/16 x 4 PWR LAG HEX HEAD	7/16 Hex	Partial	200
SPX-4571820801275	5/16 x 5 PWR LAG HEX HEAD	7/16 Hex	Partial	200
SPX-4571821001275	3/8 x 5 PWR LAG HEX HEAD	1/2 Hex	Partial	100
SPX-4571821001525	3/8 x 6 PWR LAG HEX HEAD	1/2 Hex	Partial	100
SPX-4571821201275	1/2 x 5 PWR LAG HEX HEAD	5/8 Hex	Partial	100
SPX-4571821201525	1/2 x 6 PWR LAG HEX HEAD	5/8 Hex	Partial	100

Sold in full case quantities only.

SPAX® Washer T-Star Drive - Flat Head

Yellow Zinc - Interior Use



PART NUMBER	Description	Drive Bit	Thread	Qty Per Case
SPX-4581020700635	1/4 x 2-1/2 PWR LAG BOX	T-30	Partial	200
SPX-4581020700765	1/4 x 3 PWR LAG BOX	T-30	Partial	200
SPX-4581020700905	1/4 x 3-1/2 PWR LAG BOX	T-30	Partial	200
SPX-4581020701005	1/4 x 4 PWR LAG BOX	T-30	Partial	200
SPX-4581020701555	1/4 x 4-1/2 PWR LAG BOX	T-30	Partial	200
SPX-4581020701275	1/4 x 5 PWR LAG BOX	T-30	Partial	200
SPX-4581020701525	1/4 x 6 PWR LAG BOX	T-30	Partial	200
SPX-4581020800765	5/16 x 3 PWR LAG BOX	T-40	Partial	200
SPX-4581020800905	5/16 x 3-1/2 PWR LAG BOX	T-40	Partial	200
SPX-4581020801005	5/16 x 4 PWR LAG BOX	T-40	Partial	200
SPX-4581020801155	5/16 x 4-1/2 PWR LAG BOX	T-40	Partial	200
SPX-4581021001275	3/8 x 5 PWR LAG BOX	T-50	Partial	100
SPX-4581021001525	3/8 x 6 PWR LAG BOX	T-50	Partial	100

Sold in full case quantities only.

SPAX® Washer T-Star Drive - Flat Head

High Corrosion Resistant (HCR)- Exterior Use



PART NUMBER	Description	Drive Bit	Thread	Qty Per Case
SPX-4581820700635	1/4 x 2-1/2 PWR LAG BOX	T-30	Partial	200
SPX-4581820700765	1/4 x 3 PWR LAG BOX	T-30	Partial	200
SPX-4581820700905	1/4 x 3-1/2 PWR LAG BOX	T-30	Partial	200
SPX-4581820701005	1/4 x 4 PWR LAG BOX	T-30	Partial	200
SPX-4581820701555	1/4 x 4-1/2 PWR LAG BOX	T-30	Partial	200
SPX-4581820701275	1/4 x 5 PWR LAG BOX	T-30	Partial	200
SPX-4581820701525	1/4 x 6 PWR LAG BOX	T-30	Partial	200
SPX-4581820800765	5/16 x 3 PWR LAG BOX	T-40	Partial	200
SPX-4581820800905	5/16 x 3-1/2 PWR LAG BOX	T-40	Partial	200
SPX-4581820801005	5/16 x 4 PWR LAG BOX	T-40	Partial	200
SPX-4581820801155	5/16 x 4-1/2 PWR LAG BOX	T-40	Partial	200
SPX-4581820801275	5/16 x 5 PWR LAG BOX	T-40	Partial	200
SPX-4581820801525	5/16 x 6 PWR LAG BOX	T-40	Partial	200
SPX-4581820801715	5/16 x 6 3/4 PWR LAG BOX	T-40	Partial	100
SPX-4581820802035	5/16 x 8 PWR LAG BOX	T-40	Partial	100
SPX-4581820802545	5/16 x 10 PWR LAG BOX	T-40	Partial	100
SPX-4581820803045	5/16 x 12 PWR LAG BOX	T-40	Partial	100
SPX-4581821001275	3/8 x 5 PWR LAG BOX	T-50	Partial	100
SPX-4581821001525	3/8 x 6 PWR LAG BOX	T-50	Partial	100

Sold in full case quantities only.

SPAX® Hex Washer Head - Bulk

Zinc Coating- Interior Use



PART NUMBER	Description	Drive Bit	Thread	Qty Per Pail
SPX-3571010700500	1/4 x 2 PWR LAG HEX HEAD ZINC PAIL	3/8 Hex	Full	500
SPX-3571010700750	1/4 x 3 PWR LAG HEX HEAD ZINC PAIL	3/8 Hex	Full	500
SPX-3571010700900	1/4 x 3-1/2 PWR LAG HEX HEAD ZINC PAIL	3/8 Hex	Full	500
SPX-3571010701000	1/4 x 4 PWR LAG HEX HEAD ZINC PAIL	3/8 Hex	Partial	500
SPX-3571010701150	1/4 x 4-1/2 PWR LAG HEX HEAD ZINC PAIL	3/8 Hex	Partial	500
SPX-3571010701270	1/4 x 5 PWR LAG HEX HEAD ZINC PAIL	3/8 Hex	Partial	500
SPX-3571010701520	1/4 x 6 PWR LAG HEX HEAD ZINC PAIL	3/8 Hex	Partial	500
SPX-3571010800750	5/16 x 3 PWR LAG HEX HEAD ZINC PAIL	7/16 Hex	Full	250
SPX-3571010801000	5/16 x 4 PWR LAG HEX HEAD ZINC PAIL	7/16 Hex	Partial	250
SPX-3571011001270	3/8 x 5 PWR LAG HEX HEAD ZINC PAIL	1/2 Hex	Partial	150
SPX-3571011001520	3/8 x 6 PWR LAG HEX HEAD ZINC PAIL	1/2 Hex	Partial	150
SPX-3571011002030	3/8 x 8 PWRLAG HEX HEAD ZINC PAIL	1/2 Hex	Partial	150
SPX-3571011201270	1/2 x 5 PWR LAG HEX HEAD ZINC PAIL	5/8 Hex	Partial	100
SPX-3571011201520	1/2 x 6 PWR LAG HEX HEAD ZINC PAIL	5/8 Hex	Partial	100
SPX-3571011202030	1/2 x 8 PWR LAG HEX HEAD ZINC PAIL	5/8 Hex	Partial	100
SPX-3571011202540	1/2 x 10 PWR LAG HEX HEAD ZINC PAIL	5/8 Hex	Partial	100

Sold in full case quantities only.

SPAX® Hex Washer Head - Bulk

High Corrosion Resistant (HCR)- Exterior Use



PART NUMBER	Description	Drive Bit	Thread	Qty Per Pail
SPX-3571820700500	1/4 x 2 PWR LAG HEX HEAD HCR PAIL	3/8 Hex	Full	500
SPX-3571820700750	1/4 x 3 PWR LAG HEX HEAD HCR PAIL	3/8 Hex	Full	500
SPX-3571820701520	1/4 x 6 PWR LAG HEX HEAD HCR PAIL	3/8 Hex	Partial	500
SPX-3571820800750	5/16 x 3 PWR LAG HEX HEAD HCR PAIL	7/16 Hex	Full	250
SPX-3571820800900	5/16 x 3-1/2 PWR LAG HEX HEAD HCR PAIL	7/16 Hex	Full	250
SPX-3571820801000	5/16 x 4 PWR LAG HEX HEAD HCR PAIL	7/16 Hex	Partial	250
SPX-3571820801270	5/16 x 5-1/2 PWR LAG HEX HEAD HCR PAIL	7/16 HEX	Partial	250
SPX-3571821001270	3/8 x 5 PWR LAG HEX HEAD HCR PAIL	1/2 Hex	Partial	150
SPX-3571821001520	3/8 x 6 PWR LAG HEX HEAD HCR PAIL	1/2 Hex	Partial	150
SPX-3571821201270	1/2 x 5 PWR LAG HEX HEAD HCR PAIL	5/8 Hex	Partial	100
SPX-3571821201520	1/2 x 6 PWR LAG HEX HEAD PAIL HCR	5/8 Hex	Partial	100
SPX-3571821202030	1/2 x 8 PWR LAG HEX HEAD PAIL HCR	5/8 Hex	Partial	100
SPX-3571821202540	1/2 x 10 PWR LAG HEX HEAD PAIL HCR	5/8 Hex	Partial	100
SPX-3571821203040	1/2 x 12 PWR LAG HEX HEAD PAIL HCR	5/8 Hex	Partial	100

Sold in full case quantities only.

SPAX® Washer T-Star Drive - Flat Head - Bulk

Yellow Zinc - Interior Use



PART NUMBER	Description	Drive Bit	Thread	Qty Per Pail
SPX-3581020700630	1/4 x 2-1/2 PWR LAG WASHER HEAD PAIL YZ	T-30	Partial	500
SPX-3581020700760	1/4 x 3 PWR LAG WASHER HEAD PAIL YZ	T-30	Partial	500
SPX-3581020700900	1/4 x 3-1/2 PWR LAG WASHER HEAD PAIL YZ	T-30	Partial	500
SPX-3581020701000	1/4 x 4 PWR LAG WASHER HEAD PAIL YZ	T-30	Partial	500
SPX-3581020701550	1/4 x 4-1/2 PWR LAG WASHER HEAD PAIL YZ	T-30	Partial	500
SPX-3581020701270	1/4 x 5 PWR LAG WASHER HEAD PAIL YZ	T-30	Partial	500
SPX-3581020701520	1/4 x 6 PWR LAG WASHER HEAD PAIL YZ	T-30	Partial	500
SPX-3581020800600	5/16 x 2-3/8 PWR LAG WASHER HEAD PAIL YZ	T-40	Partial	500
SPX-3581020800760	5/16 x 3 PWR LAG WASHER HEAD PAIL YZ	T-40	Partial	250
SPX-3581020800900	5/16 x 3-1/2 PWR LAG WASHER HEAD PAIL YZ	T-40	Partial	250
SPX-3581020801000	5/16 x 4 PWR LAG WASHER HEAD PAIL YZ	T-40	Partial	250
SPX-3581020801150	5/16 x 4 1/2 PWR LAG WASHER HEAD PAIL YZ	T-40	Partial	250
SPX-3581021001270	3/8 x 5 PWR LAG WASHER HEAD PAIL YZ	T-50	Partial	150
SPX-3581021001520	3/8 x 6 PWR LAG WASHER HEAD PAIL YZ	T-50	Partial	150
SPX-3581021002030	3/8 x 8 PWR LAG WASHER HEAD PAIL YZ	T-50	Partial	150
SPX-3581021002540	3/8 x 10 PWR LAG WASHER HEAD PAIL YZ	T-50	Partial	150

Sold in full case quantities only.

SPAX® Washer T-Star Drive - Flat Head - Bulk

High Corrosion Resistant (HCR) - Exterior



PART NUMBER	Description	Drive Bit	Thread	Qty Per Pail
SPX-3581820700630	1/4 x 2-1/2 PWR LAG WASHER HEAD PAIL HCR	T-30	Partial	500
SPX-3581820700760	1/4 x 3 PWR LAG WASHER HEAD PAIL HCR	T-30	Partial	500
SPX-3581820700900	1/4 x 3-1/2 PWR LAG WASHER HEAD PAIL HCR	T-30	Partial	500
SPX-3581820701000	1/4 x 4 PWR LAG WASHER HEAD PAIL HCR	T-30	Partial	500
SPX-3581820701550	1/4 x 4-1/2 PWR LAG WASHER HEAD PAIL HCR	T-30	Partial	500
SPX-3581820701270	1/4 x 5 PWR LAG WASHER HEAD PAIL HCR	T-30	Partial	500
SPX-3581820701520	1/4 x 6 PWR LAG WASHER HEAD PAIL HCR	T-30	Partial	500
SPX-3581820800760	5/16 x 3 PWR LAG WASHER HEAD PAIL HCR	T-40	Partial	250
SPX-3581820800900	5/16 x 3-1/2 PWR LAG WASHER HEAD PAIL HCR	T-40	Partial	250
SPX-3581820801000	5/16 x 4 PWR LAG WASHER HEAD PAIL HCR	T-40	Partial	250
SPX-3581820801150	5/16 x 4-1/2 PWR LAG WASHER HEAD PAIL HCR	T-40	Partial	250
SPX-3581820801270	5/16 x 5 PWR LAG WASHER HEAD PAIL HCR	T-40	Partial	250
SPX-3581820801520	5/16 x 6 PWR LAG WASHER HEAD PAIL HCR	T-40	Partial	250
SPX-3581820801710	5/16 X 6-3/4 PWR LAG WASHER HEAD PAIL HCR	T-40	Partial	250
SPX-3581820802030	5/16 x 8 PWR LAG WASHER HEAD PAIL HCR	T-40	Partial	150
SPX-3581820802540	5/16 x 10 PWR LAG WASHER HEAD PAIL HCR	T-40	Partial	150
SPX-3581820803040	5/16 x 12 PWR LAG WASHER HEAD PAIL HCR	T-40	Partial	150
SPX-3581821001270	3/8 x 5 PWR LAG WASHER HEAD PAIL HCR	T-50	Partial	150
SPX-3581821001520	3/8 x 6 PWR LAG WASHER HEAD PAIL HCR	T-50	Partial	150
SPX-3581821002030	3/8 x 8 PWR LAG WASHER HEAD PAIL HCR	T-50	Partial	150
SPX-3581821002540	3/8 x 10 PWR LAG WASHER HEAD PAIL HCR	T-50	Partial	150

Sold in full case quantities only.

SPAX® Multi-Material UNIDRIVE - Zinc

UNIDRIVE (Phillips and Square), Flat Head, Full Thread, Zinc



Part Number	Size	Description	Drive		Qty Per Pail
			Phillips #	Square #	
SPX-4101010350164	6 x 5/8"	Flat Head, Full Thread, Zinc	2	1	2,825
SPX-4101010350204	6 x 3/4"	Flat Head, Full Thread, Zinc	2	1	2,330
SPX-4101010350254	6 x 1"	Flat Head, Full Thread, Zinc	2	1	1,920
SPX-4101010350324	6 x 1-1/4"	Flat Head, Full Thread, Zinc	2	1	1,625
SPX-4101010350404	6 x 1-1/2"	Flat Head, Full Thread, Zinc	2	1	1,415
SPX-4101010400164	8 x 5/8"	Flat Head, Full Thread, Zinc	2	2	2,025
SPX-4101010400204	8 x 3/4"	Flat Head, Full Thread, Zinc	2	2	1,750
SPX-4101010400324	8 x 1-1/4"	Flat Head, Full Thread, Zinc	2	2	1,200
SPX-4101010400404	8 x 1-1/2"	Flat Head, Full Thread, Zinc	2	2	985
SPX-4101010400504	8 x 2"	Flat Head, Full Thread, Zinc	2	2	805
SPX-4101010400604	8 x 2-1/2"	Flat Head, Full Thread, Zinc	2	2	665
SPX-4101010500404	10 x 1-1/2"	Flat Head, Full Thread, Zinc	2	2	650
SPX-4101010500504	10 x 2"	Flat Head, Full Thread, Zinc	2	2	525
SPX-4101010500604	10 x 2-1/2"	Flat Head, Full Thread, Zinc	2	2	440
SPX-4101010500754	10 x 3"	Flat Head, Full Thread, Zinc	2	2	360
SPX-4101010500904	10 x 3-1/2"	Flat Head, Full Thread, Zinc	2	2	285

Sold in full case quantities only.



SPAX® Multi-Material UNIDRIVE - Yellow Zinc

UNIDRIVE (Phillips and Square), Flat Head, Full Thread, Yellow Zinc



Part Number	Size	Description	Drive		Qty Per Pail
			Phillips #	Square #	
SPX-4101020400404	8 x 1-1/2"	Flat Head, Full Thread, Yellow Zinc	2	2	985
SPX-4101020400504	8 x 2"	Flat Head, Full Thread, Yellow Zinc	2	2	805
SPX-4101020400604	8 x 2-1/2"	Flat Head, Full Thread, Yellow Zinc	2	2	665
SPX-4101020500504	10 x 2"	Flat Head, Full Thread, Yellow Zinc	2	2	525
SPX-4101020500604	10 x 2-1/2"	Flat Head, Full Thread, Yellow Zinc	2	2	440
SPX-4101020500754	10 x 3"	Flat Head, Full Thread, Yellow Zinc	2	2	360

Sold in full case quantities only.

SPAX® Multi-Material UNIDRIVE - Zinc

UNIDRIVE (Phillips and Square), Pan Head, Full Thread, Zinc



Part Number	Size	Description	Drive		Qty Per Pail
			Phillips #	Square #	
SPX-4111010350134	6 x 1/2"	Pan Head, Full Thread, Zinc	2	1	2,500
SPX-4111010350164	6 x 5/8"	Pan Head, Full Thread, Zinc	2	1	2,225
SPX-4111010350204	6 x 3/4"	Pan Head, Full Thread, Zinc	2	1	2,000
SPX-4111010400164	8 x 5/8"	Pan Head, Full Thread, Zinc	2	2	1,600
SPX-4111010400204	8 x 3/4"	Pan Head, Full Thread, Zinc	2	2	1,400
SPX-4111010400254	8 x 1"	Pan Head, Full Thread, Zinc	2	2	1,125
SPX-4111010400324	8 x 1-1/4"	Pan Head, Full Thread, Zinc	2	2	1,000
SPX-4111010400404	8 x 1-1/2"	Pan Head, Full Thread, Zinc	2	2	900
SPX-4111010400504	8 x 2"	Pan Head, Full Thread, Zinc	2	2	700
SPX-4111010500164	10 x 5/8"	Pan Head, Full Thread, Zinc	2	2	875
SPX-4111010500204	10 x 3/4"	Pan Head, Full Thread, Zinc	2	2	800
SPX-4111010500254	10 x 1"	Pan Head, Full Thread, Zinc	2	2	675

Sold in full case quantities only.



SPAX® Multi-Material T-Star Plus

T-Star Drive, Flat Head, Partial Thread, Yellow Zinc



Part Number	Size	Description	Drive	Qty Per Pail
SPX-4191020400324	8 x 1-1/4"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	1,200
SPX-4191020400404	8 x 1-1/2"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	985
SPX-4191020400504	8 x 2"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	805
SPX-4191020400604	8 x 2-1/2"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	665
SPX-4191020450604	9 x 2-1/2"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	580
SPX-4191020450804	9 x 3-1/4"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	445
SPX-4191020500404	10 x 1-1/2"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	665
SPX-4191020500504	10 x 2"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	535
SPX-4191020500604	10 x 2-1/2"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	435
SPX-4191020500754	10 x 3"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	360
SPX-4191020500904	10 x 3-1/2"	Flat Head, Partial Thread, Yellow Zinc, T-Star Plus	T-20	285

Sold in full case quantities only.

SPAX® Exterior/ Deck Screws



T-Star Drive, Flat Head, Partial Thread, Zinc Nickel, HCR X-Coated

Part Number	Size	Description	Drive	Qty Per Pail
SPX-3191670400600	8 x 2-1/2"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-20	1,500
SPX-3191670450600	9 x 2-1/2"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-20	1,500
SPX-3191670450800	9 x 3-1/4"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-20	1,500
SPX-3191670500600	10 x 2-1/2"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-20	1,500
SPX-3191670500750	10 x 3"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-20	1,500
SPX-3191670500900	10 x 3-1/2"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-20	1,500
SPX-3191670600600	14 x 2-1/2"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-30	1,000
SPX-3191670600750	14 x 3"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-30	1,000
SPX-3191670600900	14 x 3-1/2"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-30	1,000
SPX-3191670601000	14 x 4"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-30	1,000
SPX-3191670601200	14 x 3-3/4"	Flat Head, Partial Thread, Zinc Nickel, T-Star Plus	T-30	750

Sold in full case quantities only.

Modified Truss Head

Zinc Plated - Sharp Point - Fine Thread - #2 Phillips Drive



Part Number	Size	Drive	Weight Per Case	Qty Per Case
CIMTS-08916	8 x 9/16"	#2	37	10,000
CIMTS-08012	8 X 1/2"	#2	35	10,000
CIMTS-08034	8 x 3/4"	#2	37	8,000
CIMTS-08100	8 x 1"	#2	27	5,000
CIMTS-08114	8 x 1-1/4"	#2	32	5,000
CIMTS-08158	8 x 1-5/8"	#2	34	4,000
CIMTS-08178	8 x 1-7/8"	#2	23	2,500
CIMTS-08212	8 x 2-1/2"	#2	21	2,000
CIMTS-08300	8 x 3"	#2	20	1,500

Modified Truss Head

Zinc Plated - #2 Phillips - Self Drill Point

For attaching to Light Gauge Metal (25-20 Gauge)



Part Number	Size	Drive	Weight Per Case	Qty Per Case
CIMTD-08012	8 x 1/2"	#2	37	10,000
CIMTD-08034	8 x 3/4"	#2	37	8,000
CIMTD-08100	8 x 1"	#2	28	5,000
CIMTD-08114	8 x 1-1/4"	#2	34	5,000
CIMTD-08158	8 x 1-5/8"	#2	32	4,000
CIMTD-08178	8 x 1-7/8"	#2	18	2,000
CIMTD-08212	8 x 2-1/2"	#2	23	2,000
CIMTD-08300	8 x 3"	#2	20	1,500

Self Piercing Screws

Hex Washer Head - Slotted - Zinc Plated - Sharp Point



Part Number	Size	Drive	Weight Per Case	Qty Per Case
CIHHS-08012	8 x 1/2"	1/4"	50	15,000
CIHHS-08034	8 x 3/4"	1/4"	40	10,000
CIHHS-08100	8 x 1"	1/4"	40	8,000
CIHHS-08112	8 x 1-1/2"	1/4"	33	5,000
CIHHS-10012	10 x 1/2"	1/4"	36	10,000
CIHHS-10034	10 x 3/4"	1/4"	38	8,000
CIHHS-10100	10 x 1"	1/4"	31	5,000
CIHHS-10112	10 x 1-1/2"	1/4"	40	5,000
CIHHS-10200	10 x 2"	1/4"	22	2,000
CIHHS-10112+	10 x 1-1/2"	5/16"	29	3,000
CIHHS-10200+	10 x 2"	5/16"	26	2,000
CIHHS-10300+	10 x 3"	5/16"	26	1,500

Metal Sheet to Wood Screws

1/4" Hex Washer Head - Climaseal® Exterior Coated - Sharp Point



Part Number	Size	Color	Weight Per Case	Qty Per Case
BX-1271000	9-15 x 1"	Silver	40	7,000
BX-1272000	9-15 x 1-1/2"	Silver	32	4,000
CIHHSC-10200	10-14 x 2"	Silver	26	2,500
CIHHSC-10212	10-14 x 2-1/2"	Silver	18	1,500
BX-1276000	9-15 x 3"	Silver	22	1,500

Metal Sheet to Wood Screws

1/4" Hex Washer Head - Climaseal® Exterior Coated - Sharp Point

Assembled with 1/2" EPDM Bonded Washer



Part Number	Size	Color	Weight Per Case	Qty Per Case
BX-1262000	9-15 x 1"	Silver	29	4,000
BX-1264000	9-15 x 1-1/2"	Silver	24	2,500
CIHSCBW-09200	9-15 x 2"	Silver	26	2,000
BX-1268000	9-15 x 2-1/2"	Silver	21	1,500
CIHSCBW-09300	9-15 x 3"	Silver	18	1,000

Hollow Metal Wood Screws

Phillips Drive - Zinc Planted



Part Number	Size	Drive	Qty Per Case
HO-24400 SS (Stainless Steel)	24 x 4"	#4 Phillips	8/Pack
HO-24400	24 x 4"	#4 Phillips	300
HO-24500 PHIL	24 x 5"	#4 Phillips	350
HO-24600	24 x 6"	#4 Phillips	200
HO-14500SD	14 x 5"	#3 Phillips	500
CIMTSS-0612	6 x 1/2"	#2 Phillips	1,000

Insert Bits	Point Size	Overall Length
VE-125P4A	4	1"
VE-170P4A	4	2 3/4"



Acoustical Eye Lag Screws

Zinc Plated



Part Number	Size	Point Type	Qty Per Case
CIEYL-14300	1/4 x 3"	Sharp	1,000
CIEYL-14400	1/4 x 4"	Sharp	1,000
CIEYL-14500	1/4 x 5"	Sharp	1,000
CIEYD-14200	1/4 x 2"	Self Drill	1,000
CIEYD-14314	1/4 x 3-1/4"	Self Drill	1,000

TRUFast

Drill Point Screws
#12 Drill Point - #3 Phillips Drive
Truss Head - Black E-Coat



Part Number	Size	Weight Per Pail	Qty Per Pail
TFDP-1625	12 x 1-5/8"	12	1,000
TFDP-2250	12 x 2-1/4"	16	1,000
TFDP-3000	12 x 3"	25	1,000
TFDP-4000	12 x 4"	30	1,000
TFDP-5000	12 x 5"	32	1,000
TFDP-6000	12 x 6"	38	1,000
TFDP-7000	12 x 7"	22	500
TFDP-8000	12 x 8"	25	500

One (1) #3 Phillips Bit included per pail

1/4" Hex Head Drill Point screws are available in the above sizes by special order

- Designed for insulation attachment to 16-18 gauge steel roof deck
- Only #12 Drill Point Roofing Fasteners on the market that will drill a 16 gauge deck
- Excellent corrosion resistance - Double Flute Drill Point speeds penetration through steel deck

Heavy Duty Drill Point Screws

#14 Drill Point - #3 Phillips Drive
Truss Head - Black E-Coat



Part Number	Size	Weight Per Pail	Qty Per Pail
TFHD-1250	14 x 1-1/4"	11	1,000
TFHD-1500	14 x 1-1/2"	14	1,000
TFHD-2000	14 x 2"	17	1,000
TFHD-2500	14 x 2-1/2"	21	1,000
TFHD-3000	14 x 3"	24	1,000
TFHD-3500	14 x 3-1/2"	28	1,000
TFHD-4000	14 x 4"	32	1,000
TFHD-4500	14 x 4-1/2"	35	1,000
TFHD-5000	14 x 5"	36	1,000
TFHD-5500	14 x 5-1/2"	42	1,000
TFHD-6000	14 x 6"	46	1,000
TFHD-7000	14 x 7"	27	500
TFHD-8000	14 x 8"	31	500
TFHD-9000	14 x 9"	17	250
TFHD-10000	14 x 10"	19	250
TFHD-11000	14 x 11"	20	250
TFHD-12000	14 x 12"	22	250

One (1) #3 Phillips Bit included per pail

- For use in Steel, Structural Concrete, and Wood Decks for insulation or lap attachment
- Double Flute Drill Point speeds penetration through steel deck
- Exclusive tapered entry threads wedges fastener tightly into the deck for superior back-out resistance - Excellent corrosion resistance
- Pre-drilling is required for concrete using 3/16" carbide drill bit

Stainless Steel Heavy Duty Drill Point Screws

TRUFAST

#14 HD Stainless Steel Bi-Metal - #3 Phillips Drive
Truss Head



Part Number	Size	Thread Length	Weight Per Pail	Qty Per Pail
TFHDB-1500-SS	14" x 1-1/2"	1-1/2"(Full)	13	1,000
TFHDB-2000-SS	14" x 2"	2"(Full)	16	1,000
TFHDB-3000-SS	14" x 3"	2-7/8"	24	1,000
TFHDB-4000-SS	14" x 4"	3-7/8"	31	1,000
TFHDB-5000-SS	14" x 5"	3-7/8"	37	1,000
TFHDB-6000-SS	14" x 6"	3-7/8"	44	1,000
TFHDB-7000-SS	14" x 7"	3-7/8"	26	500
TFHDB-8000-SS	14" x 8"	3-7/8"	30	500
TFHDB-10000-SS	14" x 10"	3-7/8"	18	250
TFHDB-12000-SS	14" x 12"	3-7/8"	21	250

One (1) #3 Phillips Bit included per pail

- For use in Steel, Structural Concrete, and Wood Decks for insulation or lap attachment
- Double Flute Drill Point speeds penetration through steel deck
- Exclusive tapered entry threads wedges fastener tightly into the deck for superior back-out resistance
- Stainless Steel offers excellent corrosion resistance

Extra Heavy Duty Drill Point Screws

#15 Drill Point - #3 Phillips Drive
Truss Head - Black E-Coat



Part Number	Size	Thread Length	Weight Per Pail	Qty Per Pail
TFEHD-1250-15	15 x 1-1/4"	1 1/4" (Full)	13	1,000
TFEHD-2000-15	15 x 2"	2" (Full)	20	1,000
TFEHD-3000-15	15 x 3"	3" (Full)	28	1,000
TFEHD-4000-15	15 x 4"	3"	38	1,000
TFEHD-5000-15	15 x 5"	4"	48	1,000
TFEHD-6000-15	15 x 6"	4"	28	500
TFEHD-7000-15	15 x 7"	4"	34	500
TFEHD-8000-15	15 x 8"	4"	37	500
TFEHD-9000-15	15 x 9"	4"	21	250
TFEHD-10000-15	15 x 10"	4"	24	250
TFEHD-11000-15	15 x 11"	4"	25	250
TFEHD-12000-15	15 x 12"	4"	29	250
TFEHD-14000-15	15 x 14"	4"	33	250
TFEHD-16000-15	15 x 16"	4"	37	250
TFEHD-18000-15	15 x 18"	4"	42	250
TFEHD-20000-15	15 x 20"	4"	47	250
TFEHD-22000-15	15 x 22"	4"	51	250
TFEHD-24000-15	15 x 24"	4"	56	250

One (1) #3 Phillips Bit included per pail

- Created for lap attachment in higher wind uplift roof assembly
- Double Flute Drill Point speeds penetration through steel deck
- Exclusive tapered entry threads wedges fastener tightly into the deck for superior back out resistance
- Deep buttress thread design provides exceptional pull-out resistance

TRUFAST

Structural Insulation Panel Screws

Pancake Head - T-30 6-Lobe Drive - Black E-Coat

Drill Point or Thread Point For Attaching Panels to Corrugated Steel Deck and Wood



Drill Point Part Number	Thread Point Part Number	Size	Weight Per Pail	Qty Per Pail
	TFSIPTP-2000	14 x 2"	10	500
	TFSIPTP-2500	14 x 2-1/2"	12	500
TFSIPLD-3000	TFSIPTP-3000	14 x 3"	14	500
TFSIPLD-3500	TFSIPTP-3500	14 x 3-1/2"	16	500
TFSIPLD-4000	TFSIPTP-4000	14 x 4"	18	500
TFSIPLD-4500	TFSIPTP-4500	14 x 4-1/2"	20	500
TFSIPLD-5000	TFSIPTP-5000	14 x 5"	23	500
TFSIPLD-5500	TFSIPTP-5500	14 x 5-1/2"	24	500
TFSIPLD-6000	TFSIPTP-6000	14 x 6"	26	500
TFSIPLD-6500	TFSIPTP-6500	14 x 6-1/2"	28	500
TFSIPLD-7000	TFSIPTP-7000	14 x 7"	30	500
TFSIPLD-7500	TFSIPTP-7500	14 x 7-1/2"	32	500
TFSIPLD-8000	TFSIPTP-8000	14 x 8"	35	500
TFSIPLD-8500	TFSIPTP-8500	14 x 8-1/2"	18	250
TFSIPLD-9000	TFSIPTP-9000	14 x 9"	19	250
TFSIPLD-9500	TFSIPTP-9500	14 x 9-1/2"	20	250
TFSIPLD-10000	TFSIPTP-10000	14 x 10"	22	250
TFSIPLD-11000	TFSIPTP-11000	14 x 11"	23	250
TFSIPLD-12000	TFSIPTP-12000	14 x 12"	25	250
TFSIPLD-13000	TFSIPTP-13000	14 x 13"	27	250
TFSIPLD-14000	TFSIPTP-14000	14 x 14"	29	250
TFSIPLD-15000	TFSIPTP-15000	14 x 15"	31	250
TFSIPLD-16000	TFSIPTP-16000	14 x 16"	32	250
TFSIPLD-18000	TFSIPTP-18000	14 x 18"	39	250

Two (2) T-30 Driver Bits included per pail

- Able to attach panels up to 18 gauge thick steel members without pre-drilling

Pancake Head - T-30 6-Lobe Drive Black E-Coat - Drill Point



Part Number	Size	Weight Per Pail	Qty Per Pail
TFSIPHD-4500	12 x 4-1/2"	21	500
TFSIPHD-6000	14 x 6"	32	500
TFSIPHD-8000	14 x 8"	21	250
TFSIPHD-9750	14 x 9-3/4"	25	250
TFSIPHD-11750	14 x 11-3/4"	30	250
TFSIPHD-13750	14 x 13-3/4"	39	250

Two (2) T-30 Driver Bits included per pail

- Able to attach panels up to 3/16" thick steel members without predrilling

PFC Purlin Screws

#3 Square Drive - Pancake Head
Black E-Coat - Drill Point



TRUFAST

Part Number	Size	Weight Per Pail	Qty Per Pail
TFPF-1375	14 x 1-3/8"	28	2,500
TFPF-2750	14 x 2-3/4"	20	1,000
TFPF-3750	14 x 3-3/4"	27	1,000
TFPF-4750	14 x 4-3/4"	37	1,000
TFPF-5750	14 x 5-3/4"	42	1,000
TFPF-6750	14 x 6-3/4"	49	1,000
TFPF-7750	14 x 7-3/4"	28	500
TFPF-8750	14 x 8-3/4"	32	500

One (1) #3 Square Drive Bit included per package

- Purlin Fasteners are designed to drill structural steel purlins up to 3/16" thick. Allow a minimum of 1" penetration through the purlin. For best results, install fasteners using a screw gun no faster than 1800 rpm.

Stress Plates

26 Gauge Galvalume™ Metal Plates



Part Number	Description	Diameter	Hole Size	Qty Per Case
TFMP-2000	Metal	2"	1/4"	1,000
TFMP-3000	Metal	3"	1/4"	1,000

Plates are for use with Phillips Truss Head Fastener only.

Aluminum Termination Bar



Part #	Length	Hole Punch	Qty & Ft./Pkg	Pkg. Type	Wgt./Pkg
TFTB-50-6	10 FT	6" o.c.	50 - 500 ft	4" Tube	40 lbs
TFTB-75-6	10 FT	6" o.c.	50 - 500 ft	3-1/2" Tube	50 lbs
TFTB-90F-6	10 FT	6" o.c.	50 - 500 ft	3-1/2" Tube	55 lbs
TFTB-100-6	10 FT	6" o.c.	50 - 500 ft	4" Tube	65 lbs
TFTB-100-8	10 FT	8" o.c.	50 - 500 ft	4" Tube	65 lbs
TFTB-125-6	10 FT	6" o.c.	50 - 500 ft	4" Tube	75 lbs

Sold in full tube quantity only.

TOD-EZ01 (25 oz.)

EZ FLO gun foam

12 cans/case
25 lbs/case
11 Dispensed Gallons/Can
2400 Cubic Inches
High Volume
R factor 6 per inch
Closed Cell Foam
1/2" Bead = 1080 Linear Feet
Low Expansion



Perfect for around doors and windows
Stops passage of air, gases, water, dust
Around pipe chases
Seals out insects

TOD-GF600 (22.3 oz.)

Pur Fill 1G 600

12 cans/case
22 lbs/case
10 Dispensed Gallons/Can
1/2" Bead = 960 Linear Feet
2200 Cubic Inches
R factor 6 per inch
1.3 Cubic Feet
15 Board Feet
U.S.D.A approved
Fills voids



Stops passage of air, gases, water, sound, etc
Perfect for around windows and doors
One hour moisture cure
Professional control

TOD-GF01 (27.8 oz.)

Pur Fill 1G 750

12 cans/case
27 lbs/case
12 Dispensed Gallons/Can
1/2" Bead= 1200 Linear Feet
2820 Cubic Inches
R factor 6 per inch
1.6 Cubic Feet
19 Board Feet
U.S.D.A. approved
Fills voids



Stops passage of air, gases, water, sound, etc.
Perfect for around windows and doors.
One hour moisture cure.
Professional control

TOD-PS01 (22.4 oz.)

Pur Stick

12 cans/case
22 lbs/case
Equivalent to 10-20 Quart Tubes
of Constructive Adhesive
1/2" Bead = 825 Linear Feet
Quick Open Time
ASTM-C 557
APA: AFG-01



Bonds to most materials
Subfloor and drywall adhesive
Cuts labor time in half
Complete Control
Eliminates Squeaks

TOD-BF01 (27.8 oz.)

Pur Black

12 cans/case
27 lbs/case
12 Dispensed Gallons/Can
1/2" Bead = 1200 Linear Feet
2820 Cubic Inches
1.6 Cubic Feet
19 Board Feet
R factor 6.0 per inch
Black in color



Will not change color in exterior applications
Nuisance/Pest Control
RV Manufacturing
Outside Applications
Sealing out bats and birds

TOD-CW01 (20.3 oz.)

Cold Weather 1G 600

12 cans/case
22 lbs/case
10 Dispensed Gallons/Can
1/2" Bead = 960 Linear Feet
2200 Cubic Inches
R factor 6.0 per inch
1.3 Cubic Feet
15 Board Feet



Quicker cure time in cold temperature
10 minutes tackfree time
Tighter cell structure
Good for around windows and doors
Resists solvents, water, and age hardening

TOD-IPF01 (22.3 oz.)

IPF Foam

12 cans/case
22 lbs/case
9 Dispensed Gallons/Can
1/2" Bead = 700 Linear Feet
2200 Cubic Inches
Scented Formulation
1.3 Cubic Feet
16 Board Feet
One hour moisture cure

Perfect for sealing out

Insects
Birds & bats
Rodents & small animals



TOD-FB01 (24 oz.)

Pur Fill Fireblock

12 cans/case
24 lbs/case
11 Dispensed Gallons/Can
1/2" Bead = 1100 Linear Feet
2200 Cubic Inches
ICC-ES Evaluation ESR-2977
1.5 Cubic Feet

Orange in color
Fireblock
Smoke seal
Low VOC
ASTM E84
ASTM E-814 (Modified)



TOD-WF01 (22.4 oz.)

Pur Fill Window

12 cans/case
23 lbs/case
10 Dispensed Gallons/Can
1/2" Bead = 960 Linear Feet
2200 Cubic Inches
R Factor 5.9 per inch
1.3 Cubic Feet
15 Board Feet

AAMA-812-04 tested & approved
Stops drafts
Air sealing
Energy efficiency



TOD-NF12 (12 oz.)

Pur Fill NF 12

12 cans/case
13 lbs/case
4 Dispensed Gallons/Can
3/8" Bead = 780 Linear Feet
960 Cubic Inches
UL listed
.6 cu. Ft
5.0 R factor per inch

Straw dispensed
Fills voids
Perfect for small jobs
Convenient & economical
Cures in 24 hours



TOD-NF01 (21.9 oz.)

Pur Fill NF 24

12 cans/case
22 lbs/case
9 Dispensed Gallons/Can
1/2" Bead = 800 Linear Feet
1800 Cubic Inches
5.0 R factor per inch

Straw dispensed
Fills voids
Perfect for small jobs
Expands and bonds
Cures in 24 hours



TOD-BF16 (14.9 oz.)

Pur Black NF

12 cans/case
15 lbs/case
5 Dispensed Gallons/Can
3/8" Bead = 1025 Linear Feet
1000 Cubic Inches
R factor 5.0 per inch
Black in color

Straw dispensed
Perfect for outside application
Sandable and paintable
Seals out small animals
Cures in 24 hours
Will not change color in exterior applications



TOD-DF01 (12.7 oz.)

Duo Fill 400

15 cans/case
18 lbs/case
11 Dispensed Gallons/Can
600 Cubic Inches
Light blue in color
1 actuator per can
Rigid dispensing
R factor 8.0 per inch
Expands 30 times

Two component foam system
Stops flowing water
Fast 3 minute cure
Dynamic expansion perfect for
Gas and electric utilities
Water municipalities
Telephone and cable companies
Unique can-inside-a-can packaging



TOD-GC01 (12.5 oz.)

Pur Fill Gun Cleaner

12 cans/case
14 lbs/case
Flushes out uncured foam
Fits all dispensing guns

Acetone
Flammable
Please wear gloves
Use only when flow of foam stops or slows
Use with caution



TOD-CS01

Plastic Carrying Case

Green in color
Strong molded plastic
Durable
20" x 17" x 5 1/2"
Holds a mounted gun system plus 3 extra cans



TOD-N1401

14 Gauge 2 Inch Plastic Needle for Dispensing

Use with
Pageris
Pageris Eco
Long Barrel Pageris



TOD-PA01

Plastic Adapters

Used with
Pageris
Pageris Eco
Long Barrel Pageris



TOD-FT01

Flexible Tubing

Used with
Pageris
Pageris Eco
Long Barrel Pageris



TOD-AC09

Duo Fill 400 9" Actuator



TOD-FR01

Foam Reducers

Used with
Pageris
Pageris Eco
Long Barrel Pageris





TOD-SH01
Pur Shooter Gun
Inexpensive
All metal
Heavy duty
Excellent starter gun



TOD-SH02
Pur Shooter Plus Gun
Purshooter with added benefits
Less weight
More O-ring seals



TOD-ECO
Pageris Eco Gun
Steel
Warranty
Teflon-Coated adapter
Professional



TOD-GU01
Pageris Gun
Stainless steel
Warranty
Teflon-Coated adapter
Top of the line



TOD-GU24
Long Barrel Pageris Gun
Pageris Gun with 24 inch stainless steel long barrel
Ideal for hard to reach places

BEST RESULTS

- NO NEED FOR GUN CLEANER!
- ALWAYS LEAVE A CAN ON THE GUN
 - SHAKE THE CAN WELL
- CAN TEMPERATURE SHOULD BE OVER 60 DEGREES

Sikaflex 15LM Sealant



- Low-modulus, 1 - Component, Polyurethane-base
- Non-Sag Elastomeric Sealant
- Paintable, sandable, stainable, and waterproof
- Excellent adhesion to most construction materials without a primer
- +100%/-50% joint movement capabilities
- Application temperature is 40 degrees to 100 degrees F
- Tack-free time is 3-6 hours
- Easy to tool
- Fits standard caulk gun
- Meets ASTM C-920
- Covers 12.4 Lineal Feet of 1/2 inch x 1/4 inch joint



Part Number	Color	Fluid Oz Per Tube	Qty Per Case
SI-90995	White	10.1	24
SI-90986	Aluminum Gray	10.1	24
SI-92804	Black	10.1	24
SI-90990	Colonial White	10.1	24
SI-90989	Capital Tan	10.1	24
SI-90993	Limestone	10.1	24
SI-90991	Dark Bronze	10.1	24
SI-90987	Beige	10.1	24
SI-107760	Medium Bronze	10.1	24
SI-92805	Coping Stone	10.1	24
SI-90994	Redwood Tan	10.1	24
SI-92806	Off White	10.1	24
SI-90985	Almond	10.1	24
SI-92807	Aluminum Stone	10.1	24
SI-187645	Stone	10.1	24

Cure time: 1/2" bead is tack free in 6 hours at 75 degrees F with 50% relative humidity. Full cure is in 7-10 days.

Allow 7-10 days for temporary water immersion. For best results, store at 40-75 degrees F. Condition material to 65 - 75 degrees F before using.

Allow sealant to cure 72 hours before painting or exposing to traffic.

Use for sealing cracks, expansion joints, doors, windows, siding, roofing, gutters, sills, thresholds, basements, vents, skylights, wall penetrations, and precast panels.

Apply to concrete, wood, brick, aluminum, steel, glass, tile, marble, stone, and etched PVC.

Sikaflex 1C Self Leveling Sealant



- High performane, single component material
- Used to seal horizontal joints
- No mixing/no tooling
- Self-leveling, pourable
- Permanently elastic
- Excellent adhesion
- Accelerated curing
- High durability
- Resists aging, weathering
- Paintable, sandable, stainable, and waterproof
- Meets ASTM C-920
- Covers 36 linear feet of 1/2 x 1/4" joint

Part Number	Color	Fluid Oz Per Tube	Qty Per Case
SI-90942	Limestone	29	12

Cure time: 1/2" bead is tack free in 1-2 hours at 73 degrees F with 50% relative humidity. Full cure is 3-5 days.

Allow 7-10 days for temporary water immersion. For best results, store at 40-75 degrees F. Condition material to 65-75 degrees F before using.

Allow sealant to cure 72 hours before painting or exposing to traffic

Use on driveways, garage floors, sidewalks, balconies, pavements, patios, steps, basements, and warehouses.



Sammys® Vertical Mount for Wood




Part Number	Model	Rod Size	Screw Descriptions	Ultimate Pullout	Qty Per Box/Case
BX-8002957	GST 100	1/4"	1/4" x 1"	210 (7/16" OSB) 670 (3/4" Ply)	25/125
BX-8003957	GST 200	1/4"	1/4" x 2"	1760 (Fir)	25/125
BX-8007957	GST 10	3/8"	1/4" x 1"	210 (7/16" OSB) 670 (3/4" Ply)	25/125
BX-8008957	GST 20	3/8"	1/4" x 2"	1760 (Fir)	25/125
BX-8068925	GST 20-SS	3/8"	1/4" x 2"	1760 (Fir)	25/125
BX-8009925	GST 25-380	3/8"	1/4" x 2-1/2"	2113 (Fir)	25/125
BX-8010957	GST 30	3/8"	1/4" x 3"	2060 (Fir)	25/125
BX-8013925	GST 2	1/2"	1/4" x 2"	1760 (Fir)	25/125
BX-8015925	GST 3	1/2"	1/4" x 3"	2275 (Fir)	25/125

SPECIAL NUT DRIVER SYSTEM

- The nut drivers were designed with a unique spin-off feature which provides a fast and safe installation each time. When the face of the driver comes into contact with the material you are installing into, continue drilling until nut driver spins free. Installation is complete. Warranty requires use of the appropriate nut driver for installations.

Visit www.itwbuildex.com for literature, technical information, and training modules for Sammys® products.

Sidewinder® Horizontal Mount for Wood



Part Number	Model	Rod Size	Screw Descriptions	Ultimate Pullout	Qty Per Box/Case
BX-8020957	SWG 10	3/8"	1/4 x 1"	622 (Fir)	25/125
BX-8021957	SWG 20	3/8"	1/4 x 2"	1725 (Fir)	25/125
BX-8022925	SWG 25-380	3/8"	3/8 x 2-1/2"	2249 (Fir)	25/125
BX-8023925	SWG 30	3/8"	1/4 x 3"	1884 (Fir)	25/125

#14 SW Red Nut Driver
Part # BX-8114910

Sammys Swivel Head™

Swivel Head Mount for Wood



SAMMYS®



#14 Black Nut Driver
Part # BX-8139957





#14 SH Orange Nut Driver
Part # BX-8269957

Part Number	Model	Rod Size	Screw Descriptions	Ultimate Pullout	Qty Per Box/Case
BX-8139957	SH-GST 20	3/8"	1/4" x 2"	1257 (Fir)	25/125
BX-8269957	SH-GST/CST 20	3/8"	5/16" x 1-3/4"	1406 @ 45 degrees off vertical Dim. Lumber 903 Dim. Lumber	25/125

Product Features

- Eliminates distortion of threaded rod.
- Accommodates 3 1/2" x 12 pitch roof.
- Allows 17 degree deflection from vertical
- Saves times from traditional methods.
- Reduces installation costs.



Sammys®

Vertical Mount for Steel



#14 Black Nut Driver
Part # BX-8113910



#14 SW Red Nut Driver
Part # BX-8114910

Part Number	Model	Rod Size	Screw Descriptions	Ultimate Pullout	Qty Per Box/Case
BX-8024957	DSTR 100*	1/4"	1/4-20 x 1" TEKS 3	1510 (20 ga.)	25/125
BX-8025957	DST 100	1/4"	1/4-14 x 1 TEKS 3	446 (20 ga.)	25/125
BX-8026957	DST 150	1/4"	1/4-14 x 1-1/2" TEKS 3	970 (16 ga.)	25/125
BX-8027957	DST 200	1/4"	1/4-14 x 2" TEKS 3	446 (20 ga.)	25/125
BX-8038957	DSTR 1*	3/8"	1/4-20 x 1" TEKS 3	1510 (20 ga.)	25/125
BX-8037957	DSTR 1-1/2*	3/8"	12-24 x 1-1/2" TEKS 5	1510 (3/16")	25/125
BX-8039957	DSTR 516*	3/8"	5/16-18 x 1-1/4" TEKS 3	2200 (20 ga.)	25/125
BX-8040957	DST 10	3/8"	1/4-14 x 1" TEKS 3	446 (20 ga.) 970 (16 ga.)	25/125
BX-8041957	DST 15	3/8"	1/4-14 x 1-1/2" TEKS 3	446 (20 ga.) 970 (16 ga.)	25/125
BX-8042957	DST 20	3/8"	1/4-14 x 2" TEKS 3	446 (20 ga.) 970 (16 ga.)	25/125
BX-8044957	DST 30	3/8"	1/4-14 x 3" TEKS 3	446 (20 ga.) 970 (16 ga.)	25/125
BX-8045957	DST 516	3/8"	5/16-18 x 1-1/4" TEKS 3	1500 (3/16")	25/125
BX-8046957	TEK 50	3/8"	12-14 x 1-1/2" TEKS 5	3125 (3/16")	25/125
BX-8031925	DST 2.0	1/2"	1/4-14 x 2 TEKS 3	446 (20 ga.) 970 (16 ga.)	25/125

*Includes retaining nut



Sidewinder® Horizontal Mount for Steel



#14 SW Red Nut Driver
Part # BX-8114910

Part Number	Model	Rod Size	Screw Descriptions	Ultimate Pullout	Qty Per Box/Case
BX-8050957	SWD 10	3/8"	1/4-14 x 1" TEKS 3	1477 (16 ga.)	25/125
BX-8052957	SWD 20	3/8"	1/4-14 x 2" TEKS 3	1477 (16 ga.)	25/125
BX-8055957	SWDR 1*	3/8"	1/4-20 x 1" TEKS 3	1900 (20 ga.)	25/125
BX-8054957	SWDR 1-1/2*	3/8"	12-24 x 1-1/2" TEKS 5	2375 (3/16")	25/125
BX-8056957	SWDR 516*	3/8"	5/16-18 x 1-1/4" TEKS	2480 (20 ga.)	25/125

*Includes retaining nut

Sammys Swivel Head™ Swivel Head Mount for Steel



#14 Black Nut Driver
Part # BX-8113910



#14 SW Red Nut Driver
Part # BX-8114910

Part Number	Model	Rod Size	Screw Descriptions	Ultimate Pullout	Qty Per Box/Case
BX-8137957	SH-DSTR 1	3/8"	1/4-20 x 1" TEKS 3	3220 (3/16")	25/125
BX-8268957	SH-TEK 50	3/8"	12-24 x 1 3/4" TEKS 5	2368 (1/2" Steel Vertical)	25/125
				1306 (45 degree off vertical)	
				2281 (3/16" HSS)	
				1585 (3/16" HSS 45 degree Vertical)	

Product Features

- Eliminates distortion of threaded rod in sloped roof applications.
- Accommodates 3 1/2" x 12 pitch.
- Installs into angled z-purlin; allows threaded rod to hang plumb.
- Allows 17 degree deflection from vertical.
- Saves times from traditional methods.





Sammy X-Press Drill/Drive™ **NEW!**



Part Number	Model	Rod Size	Descriptions	"Ultimate Pullout (lbs)"	Application	Qty Per Box/Case
8151957	XPDD 40	3/8"	Sammy X-Press Drill/Drive 40	1092 (22 ga.) 1340 (20 ga.) 1733 (16 ga.)	Metal Deck/Purlin	25/125

Sammy X-Press™


Vertical Mount for Steel Deck or Purlin

Product Features

- The Sammy X-Press expands to provide direct vertical attachment in light gauge steel deck or purlin (22 ga. - 1.8").
- Installs in seconds with Sammy X-Press It Tool, saving time & installation costs.
- Use in applications where access to the back of the installed fastener is prohibited; i.e. metal roof deck, tubular steel, or vapor barrier fabric.
- Less jobsite material needed.
- No retaining nut required.



Part Number	Model	Rod Size	Descriptions	"Ultimate Pullout (lbs)"	Application	Qty Per Box/Case
BX-8181922	XP 200	1/4"	Sammy X-Press 200	1146 (22 ga.)	Metal Deck	25/125
BX-8150922	XP 20	3/8"	Sammy X-Press 20	1146 (22 ga.)	Metal Deck/Purlin	25/125
BX-8153922	XP 35	3/8"	Sammy X-Press 35	1783 (16 ga.)	Purlin	25/125



Part Number	Model	Description	Qty
BX-8196910	IT 2.0	X-Press It Tool 2.0	1
BX-8152910	XPDB	25/64" Drill Bit	1

*Tool includes: Sleeve, Bit Receiver, Hex Wrench, and 25/64" Drill Bit



The Sammy X-Press

expands to provide direct vertical attachment in:

- Metal Deck (22-16 gauge)
- Purlin (18-16 gauge)




Sidewinder X-Press™

Horizontal Mount for Steel Deck or Purlin

Product Features


- The Sidewinder X-Press expands to provide horizontal attachment in: 16 gauge - 3/16" steel - purlin, tubular steel.
- Installs in seconds with Sammy X-Press It Tool, saving time & installation costs.
- Use in applications where access to the back of the installed fastener is prohibited; ie. metal roof deck, tubular steel, or vapor barrier fabric.
- Less jobsite material needed.
- No retaining nut required.
- Provides design flexibility.



Part Number	Model	Rod Size	Descriptions	"Ultimate Pullout (lbs)"	Application	Qty Per Box/Case
BX-8293957	SWXP 35	3/8"	Sidewinder X-Press 35	1798 (16 ga.)	Purlin	25/125

Swivel X-Press™

Swivel Head Mount for Steel Deck or Purlin



Product Features

- The *Swivel X-Press* allows you to hang plumb in extreme roof pitches: 89 degrees in z-purlin. 45 degrees in metal deck for 12/12 pitch
- Installs in seconds with Sammy X-Press It® Tool, saving time and installation costs
- Use in applications where access to the back of the installed fastener is prohibited; ie. Metal roof deck, tubular steel, or vapor barrier fabric
- Less jobsite material needed
- No retaining nut required
- Provides design flexibility

Part Number	Model	Rod Size	Descriptions	"Ultimate Pullout (lbs)"	Application	Qty Per Box/Case
BX-8294922	SXP 20	3/8"	Swivel X-Press 20	1061 (22 ga. Vert)	Metal Deck	25/125
				829 (45 degrees off vert)		
BX-8295922	SXP 35	3/8"	Swivel X-press 35	1675 (16 ga. Vert)	Purlin	25/125
				1558 (89 degrees off vert)		
BX-8272957	SXP 2.0	1/2"	Swivel X-press 2.0	1061 (22 ga. Vert)	Metal Deck	25/125
				829 (45 degrees off vert)"		
BX-8271957	SXP 3.5	1/2"	Swivel X-press 3.5	1675 (16 ga. Vert)	Purlin	25/125
				1558 (89 degrees off vert)		

Sammys® Vertical Mount for Concrete



SAMMYS®



#14 Black Nut Driver
Part # BX-8113910



#14 SW Red Nut Driver
Part # BX-8114910

Part Number	Model	Rod Size	Screw Descriptions	Ultimate Pullout	Qty Per Box/Case
BX-8058957	CST 200	1/4"	5/16 x 1-3/4"	2400	25/125
BX-8059957	CST 20	3/8"	5/16 x 1-3/4"	2400	25/125
BX-8060925	CST 2	1/2"	5/16 x 1-3/4"	2400	25/125

Sidewinder® Horizontal Mount for Concrete



#14 SW Red Nut Driver
Part # BX-8114910

Part Number	Model	Rod Size	Screw Descriptions	Ultimate Pullout	Qty Per Box/Case
BX-8061957	SWC 20	3/8"	5/16 x 1-3/4"	2450	25/125

Sammy's Swivel Head® Swivel Head Mount for Concrete



#14 SH Orange Nut Driver
Part # BX-8273910

Part Number	Model	Rod Size	Screw Descriptions	Ultimate Pullout	Qty Per Box/Case
BX-8269957	SH-GST/CST 20	3/8"	5/16 x 1-3/4"	2537 in 3000 psi concrete 1459 @ 45 degree off vertical in 3000 psi concrete 2852 in 6000 psi concrete 1636 @ 45 degrees off vertical in 6000 psi concrete	25/125



#14 Black Nut Driver
Part # BX-8113910

Sammys Toggle™

Vertical Mount for Sheetrock



SAMMYS®

Part Number	Model	Rod Size	Screw Descriptions	Ultimate Pullout (lbs)	Qty Per Box/Case
BX-8064925	SST 30	3/8"	1/4 x 3"	450 (Lath & Plaster) 404 (2 Layers 5/8 Rock)	25/125



Speedy Pole Tool

Part Number	Descriptions	Qty Per Box	Qty
BX-SP6	Speedy Pole 6 feet to 18 feet	1	1



TENRYU
Saw Blades



Material	Item #	Diameter	Arbor	#T	Rake	Kerf	RPM	Machine	Series	Application
ALUMINIUM	TECF-16560A	6-1/2"	5/8"	60	0	0.079	3900	Cordless Trim	Alumi-Cut	Cutting Aluminum w/ 6-1/2" Cordless saws
	TEIA-18560D	7-1/4"	5/8" KO	60	0	0.079	8300	Circular	Industrial	Quiet Cutting, General Purpose
	TEIA-25580DN	10"	5/8"	80	-5	0.094	5870	Miter/RA	Industrial	Quiet Cutting, General Purpose
	TEIA-305100DN	12"	1"	100	-5	0.11	5000	Miter	Industrial	Quiet Cutting, General Purpose
Material	Item #	Diameter	Arbor	#T	Rake	Kerf	RPM	Machine	Series	Application
FERROUS METAL	TECF-13532M	5-3/8"	20mm	32	0	0.059	3700	Cord Free	Metal	Mild Steel
	TECF-13536M	5-3/8"	20mm	36	0	0.057	3700	Cord Free	Metal	Spiral Duct
	TEPRF-18548BW	7-1/4"	5/8" KO	48	0	0.079	5800	Circular Saw	Steel-Pro	Signature Steel-Pro Blade for mechanical construction. Up to 1/8" Wall Thickness
	TEPRF-18548CBWD	7-1/4"	5/8" KO	48	0	0.079	5800	Circular Saw	Steel-Pro Gold	Unique Modified ATB grind for efficient cutting on thin and shaped sheet material
	TEPRF-18548BWK	7-1/4"	5/8" KO	48	0	0.079	5800	Circular Saw	Stabilizer	Ferrous (Up to 1/8")
	TEHMC-18536BW	7-1/4"	5/8" KO	36	0	0.073	4800	Circular Saw	Heavy Metal Plus	1/8"-1/4" Wall Thickness
	TEPRF-20348CBN	8"	5/8" KO	48	0	0.087	4300	Circular Saw	Steel-Pro	General Purpose. Up to 1/8" Wall Thickness. Milwaukee Saw.
	TEHMC-20342BW	8"	5/8" KO	48	0	0.087	4300	Circular	Stabilizer	Ferrous (Up to 1/8") Many Cuts, Milwaukee
	TEPRF-30560DK	12"	1"	60	0	0.098	2000	Dry Cut	Stabilizer	General Purpose. Up to 3/8" Wall Thickness. For 12" Dry Cutters
	TEHMC-30554DX	12"	1"	54	2	0.087	2000	Dry Cut	Stabilizer	Ferrous for 12" Dry Cutter (Low RPM)
	TEHMC-30572DX	12"	1"	72	2	0.087	2000	Dry Cut	Heavy Metal Plus	General Purpose
	TEPRF-35572DK	14"	1"	72	0	0.098	1700	Dry Cut	Stabilizer	Ferrous (Up to 1/8") Many Cuts, 14" Dry Cutter
	TEHMC-35566DX	14"	1"	66	2	0.087	1800	Dry Cut	Heavy Metal	For 1/8"-1/2" Heavy Stock
	TEHMC-35581DX	14"	1"	81	2	0.087	1800	Dry Cut	Heavy Metal Plus	General Purpose
Material	Item #	Diameter	Arbor	#T	Rake	Kerf	RPM	Machine	Series	Application
FIBER CEMENT	TEBP-16504	6-1/2"	5/8" KO	4	10	.091	9250	Cord Free	Board-Pro	Fiber-Cement Siding. For stacked sheet cuts
	TEBP-18505	7-1/4"	5/8" KO	5	12	0.091	8300	Circular Saw	Board-Pro	Good for Single or Stack (up to 5 sheets) cutting
	TEBP-25506	10"	5/8" KO	6	8	0.098	5870	Table/Miter	Board-Pro	Good for Single or Stack (up to 5 sheets) cutting
	TEBP-30508	12"	1"	8	8	0.098	5000	Table/Miter	Board-Pro	Good for Single or Stack (up to 5 sheets) cutting

TENRYU
Saw Blades




TENRYU

Material	Item #	Diameter	Arbor	#T	Rake	Kerf	RPM	Machine	Series	Application
WOOD	TECF-16524W	6-1/2"	5/8"	24	20	0.059	3900	Cordless Trim	Cord-Free	For General Purpose w/ 6-1/2" Cordless Saws
	TECF-16540W	6-1/2"	5/8"	40	20	0.059	3700	Cordless Trim	Cord-Free	For Finish Cutting w/ 6-1/2" Cordless Saws
	TESL-16552C	6-1/2"	5/8" KO	52	15	0.063	9250	Trim	Silencer	Cordless Circular Saw, Ultra Fine Trim Cuts
	TEPT-18524AM	7-1/4"	5/8" KO	24	20	0.073	8300	Circular	Power Tool	The AMIGO 24 tooth contractor blade. Fast and long cutting life
	TEPT-18524V	7-1/4"	5/8" KO	24	20	0.073	8300	Circular	Power Tool	Variable Pitch Framing - Citation - Fast, Smooth
	TEPT-18524P	7-1/4"	5/8" KO	24	20	0.073	8300	Circular	Power Tool	Great for wet, or pressure treated lumber. Green coating
	TERS-25540	10"	5/8"	40	15	0.118	5870	Table	Rapid Cut	General purpose. Economically Priced. Great Value.
	TERS-25550-2	10"	5/8"	40	15	0.126	5870	Table	Rapid Cut	Super Quiet Combo, Resin Filled Laser Slots
	TERS-25560	10"	5/8"	60	10	0.118	5870	Table	Rapid Cut	General Purpose Cross-Cutting. Economically Priced. ATAF Grind
	TESL-25550C	10"	5/8"	50	15	0.126	5870	Table	Silencer	Combination for Table Saw
	TESL-25550TC	10"	5/8"	50	15	0.11	5870	Table	Silencer	Intermediate Kerf Combination
	TESL-25572C	10"	5/8"	72	10	0.11	5870	Miter	Silencer	Signature All Purpose Blade
	TESL-25580C	10"	5/8"	80	5	0.11	5870	Miter	Silencer	Very Quiet Finish Cuts
	TEMP-25580AB	10"	5/8"	80	-3	0.11	5870	Miter	Miter Pro	Smoothest Finish Cuts in Wide Range Thickness
	TESL-30580C	12"	1"	80	5	0.106	5000	Miter	Silencer	Very Quiet Finish Cuts
	TESL-305100C	12"	1"	100	5	0.106	5000	Miter	Silencer	Very Quiet Fine Finish Cuts
	TEMP-305100AB	12"	1"	100	-3	0.118	5000	Miter	Miter Pro	Smoothest Finish Cuts in Wide Range Thickness
	TEGM-25540	10"	5/8"	40	2	0.111	5870	Table	Gold Medal	Combination (Premium) Gold Medal Award
	TEGM-25540-2	10"	5/8"	40	2	0.125	5870	Table	Gold Medal	Combination (Premium) Gold Medal Award

TENRYU
Heavy Metal Plus X Series



Material	Item #	Diameter	Arbor	#T	Rake	Kerf	RPM	Machine	Series	Application
C O R D L E S S +	TECF-13632MT	5-3/8"	20mm	32	-5	0.043	3900	Cordless	Plus X	General Purpose
	TECF-13636M	5-3/8"	20mm	36	-2	0.049	3900	Cordless	Plus X	Spiral Duct Pipe
	TECF-13656MT	5-3/8"	20mm	56	-10	0.043	3900	Cordless	Plus X	Thin Sheet Metal
	TECF-16544MT	6-1/2"	5/8"	44	-5	0.049	5500	Cordless	Plus X	General Purpose
	TECF-16564MT	6-1/2"	5/8"	64	-10	0.049	5500	Cordless	Plus X	Thin Sheet Metal
Material	Item #	Diameter	Arbor	#T	Rake	Kerf	RPM	Machine	Series	Application
H E A V Y M E T A L +	TEHMC-18542DT	7-1/4"	5/8"	42	-5	0.055	6000	Circular Saw	Plus X	General Purpose
	TEHMC-18572CBDT	7-1/4"	5/8"	72	-10	0.051	6000	Circular Saw	Plus X	Roofing/Siding
	TEHMC-20344DT	8"	5/8"	44	-5	0.061	4300	Circular Saw	Plus X	General Purpose
	TEHMC-20372CBDT	8"	5/8"	72	-10	0.051	4300	Circular Saw	Plus X	Roofing/Siding



Plus X Standard Kerf

Product Features

- PLUS X Technology is available for cordless and corded metal cutting saws
- Now experience even less effort with more cuts per blade than ever before

TENRYU
Corded / Cordless Circular Saws



Material	Item #	Diameter	Arbor	#T	Rake	Kerf	RPM	Machine	Series	Application
FIBER CEMENT BOARD	TEBP-16504T	6-1/2"	5/8"	4	12	0.073	5800	Cordless Saw Board	Pro Plus	Cordless Saws, Thinner Kerf
	TEBP-18505T	7-1/4"	5/8" KO	5	12	0.073	5800	Circular Saw	Pro Plus	Corded/Cordless Saws, Thinner Kerf

Product Features

- Especially good for 6-1/2", or 7-1/4" cordless circular saws
- Ultra thin-kerf (.073") extends the battery life per charge, reducing a significant amount of saw dust
- Easy to feed, and great for single sheet, or stacked sheets cutting (up to 5-6 sheets at a time) with no deflection



Features

- Semi-Automatic
- Economical
- Length: 13-1/4"
- Weight: 4.5 lbs
- Muzzle Bushing O.D.: 9/16"
- Maximum Pin Length: 2-1/2" (3" w/ Washer)

Pin #	Shank Length – Inches	Qty Per Box
RM-1503K	1/2" Knurled	100
RM-1506	3/4"	100
RM-1508	1"	100
RM-1510	1-1/4"	100
RM-1512	1-1/2"	100
RM-1514	2"	100
RM-1516	2-1/2"	100
RM-1524	3"	100
RM-1506SD	3/4" (Washed)	100
RM-1508SD	1" (Washed)	100
RM-1510SD	1-1/4" (Washed)	100
RM-1512SD	1-1/2" (Washed)	100
RM-1514SD	2" (Washed)	100
RM-1516SDC	2-1/2" (Washed)	100
RM-1524SDP	3" (Washed)	100
RM-1516E	2-1/2" w/RAMGUARD	100
RM-1516SDE	2-1/2" (Washed) w/RAMGUARD	100
RM-1524SDE	3" (Washed) w/RAMGUARD	100

.27 Caliber Strip Loads:

(3 green) - (4 yellow) - (5 red)

- RM-3RS27 (green)
- RM-4RS27 (yellow)
- RM-5RS27 (red)



Features

- 42 Pin Magazine
- Fully Automatic
- Length: 17.5"
- Height: 15-1/2"
- Weight: 7.9 lbs
- Maximum Pin Length: 1-1/2"

Pin #	Pin Length	Most Common Application
RM-FPP012S	1/2	Track to Steel
RM-FPP034B	3/4	Track to Concrete

RM-TFUEL



RM-B0092

- The 6-volt Ni-Cd battery can drive more than 3,000 shots per charge



Ramset®



RM-T4IF
Insulfast



Features

- Single Shot Gas Tool
- One Step Fuel Injection & Eject
- Length: 15"
- Height: 15.25"
- Weight: 7.6 lbs. (with battery)
- Maximum Pin Length: 6"

Fasteners for Concrete and CMU Studs

- Available in sizes 1"-6"

Fasteners for Steel Studs

- Available in sizes 1"-6"

RM-T4FUEL

- Replaces conventional powder loads and drives more than 1,000 pins



RM-18581

- The 6-volt Ni-Cd battery can drive more than 3,000 shots per charge



RM-G2
GYPFAST



Features

- 150 Pin Coil
- Fully Automatic
- Length: 15"
- Height: 15.25"
- Weight: 7.6 lbs. (with battery)
- Maximum Pin Length: 2-1/2"

Pin #	In.	Master Carton	Application
RM-GF112	1-1/2	6,000 nails/ ctn 6 fuel cells	Single Layer of Exterior Sheathing, Wood Furring and Blocking
RM-GF200	2	4,800 nails/ ctn 5 fuel cells	Double Layer of Exterior Gypsum Sheathing, Wood Furring and Blocking
RM-GF212	2-1/2	2,700 nails/ ctn 3 fuel cells	Multi-Layers of Sheathing, Wood Blocking, and Dimensional Lumber

RM-TFUEL



RM-B0092

- The 6-volt Ni-Cd battery can drive more than 3,000 shots per charge



RM-LD100

- Plated 1" Lathing Disc



Driltec



ADX bits for drilling Rebar and metal deck

Part #	Diameter	Usable Length	Overall Length
DRADX006014	3/16"	2"	4-1/4"
DRADX006018	3/16"	4"	6-1/4"
DRADX006022	3/16"	6"	8-1/4"
DRADX006026	3/16"	8"	10-1/4"
DRADX006030	3/16"	10"	12-1/4"
DRADX007025	1/4"	2"	4-1/4"
DRADX007029	1/4"	4"	6-1/4"
DRADX007041	1/4"	6"	8"
DRADX007048	1/4"	8"	10-1/4"
DRADX007052	1/4"	10"	12-1/4"
DRADX011031	5/16"	4"	6"
DRADX011049	5/16"	10"	12"
DRADX011053	5/16"	16"	18"
DRADX017059	3/8"	4"	6"
DRADX017067	3/8"	10"	12"
DRADX017075	3/8"	16"	18"
DRADX018012	7/16"	4"	6 1/4"
DRADX018019	7/16"	10"	12 1/4"
DRADX018028	7/16"	16"	18"
DRADX019073	1/2"	4"	6"
DRADX019081	1/2"	10"	12"
DRADX019090	1/2"	16"	18"
DRADX021071	9/16"	4"	6"
DRADX021087	9/16"	10"	12"
DRADX021096	9/16"	16"	18"
DRADX024015	5/8"	6"	8"
DRADX024023	5/8"	8"	10"
DRADX024036	5/8"	10"	12"
DRADX024047	5/8"	16"	18"
DRADX027024	3/4"	6"	8"
DRADX027035	3/4"	8"	10"
DRADX027043	3/4"	10"	12"
DRADX027056	3/4"	16"	18"
DRADX030038	7/8"	6"	8"
DRADX030044	7/8"	8"	10"
DRADX030051	7/8"	10"	12"
DRADX030062	7/8"	16"	18"
DRADX034045	1"	8"	10"
DRADX034055	1"	10"	12"
DRADX034063	1"	16"	18"
DRADX038057	1-1/8"	8"	10"
DRADX038064	1-1/8"	16"	18"
DRADX043070	1-1/4"	16"	18"

Please note: For drilling diameters 1/2" and large, use RL-Series RebarCUTTER for superior performance.



Driltec SDS-Plus Drill Bits

Single Cutter Part	Diameter	Usable Length	Overall Length
DRAD-406-224	5/32"	7"	9"
DRAD-400-219	5/32"	2"	4 1/4"
DRAD-405-220	5/32"	4"	6 1/2"
DRAD-410-104	3/16"	2"	4 1/2"
DRAD-415-215	3/16"	4"	6 1/4"
DRAD-420-221	3/16"	7"	9 1/2"
DRAD-425-216	3/16"	9"	11 1/2"
DRAD-430-260	3/16"	13"	16"
DRAD-435-236	7/32"	4"	6 1/4"
DRAD-440-237	7/32"	7"	9 1/2"
DRAD-445-238	7/32"	9"	11 1/2"
DRAD-450-265	7/32"	13"	16"
DRAD-455-105	1/4"	2"	4 1/2"
DRAD-460-106	1/4"	4"	6 1/4"
DRAD-465-218	1/4"	6"	8 1/2"
DRAD-470-183	1/4"	9"	11 1/2"
DRAD-475-270	1/4"	13"	16"
DRAD-480-107	5/16"	4"	6 1/4"
DRAD-485-108	5/16"	6"	8 1/2"
DRAD-490-222	5/16"	10"	12 1/2"
DRAD-495-109	3/8"	4"	6 1/4"
DRAD-500-110	3/8"	8"	10 1/2"
DRAD-505-111	3/8"	10"	12 1/2"
DRAD-510-112	3/8"	15 1/2"	18"
DRAD-515-239	3/8"	19 1/2"	22"
DRAD-520-113	7/16"	4"	6 1/4"
DRAD-525-223	7/16"	10"	12"
DRAD-530-114	1/2"	4"	6 1/2"
DRAD-535-115	1/2"	8"	10"
DRAD-540-116	1/2"	10"	12"
DRAD-545-117	1/2"	15 1/2"	18"
DRAD-550-240	1/2"	21 1/2"	24"
DRAD-555-118	9/16"	4"	6 1/2"
DRAD-560-228	9/16"	10"	12 1/2"
DRAD-565-229	9/16"	15 1/2"	18"
DRAD-570-119	5/8"	4"	6 1/2"
DRAD-575-120	5/8"	7"	9 1/2"
DRAD-585-121	5/8"	10"	12"
DRAD-595-122	5/8"	15 1/2"	18"
DRAD-605-241	5/8"	21 1/2"	24"
DRAD-610-123	11/16"	5"	7"
DRAD-615-230	11/16"	10"	12"
DRAD-625-124	3/4"	7"	9 1/2"
DRAD-635-125	3/4"	10"	12"
DRAD-645-126	3/4"	15 1/2"	18"
DRAD-655-128	7/8"	7"	9 1/2"
DRAD-665-129	7/8"	10"	12"
DRAD-670-130	7/8"	15 1/2"	18"
DRAD-680-184	1"	7"	10"
DRAD-690-185	1"	15 1/2"	18"
DRAD-700-250	1 1/8"	7 1/2"	10"
DRAD-710-255	1 1/8"	15 1/2"	18"





Driltec

SDS-Plus Bulk Pack



Part Number	Diameter	Usable Length	Overall Length	Qty Per Pack
DRAD-008-101	5/32"	4"	6-1/2"	12
DRAD-010-224	5/32"	7"	9-1/2"	12
DRAD-012-104	3/16"	2"	4-1/2"	12
DRAD-016-215	3/16"	4"	6-1/4"	12
DRAD-048-105	1/4"	2"	4-1/2"	12
DRAD-052-106	1/4"	4"	6-1/4"	12
DRAD-056-218	1/4"	6"	8-1/2"	12
DRAD-062-107	5/16"	4"	6-1/4"	6
DRAD-080-109	3/8"	4"	6-1/4"	6
DRAD-124-114	1/2"	4"	6-1/2"	6
DRAD-128-115	1/2"	8"	10"	6
DRAD-156-119	5/8"	4"	6-1/2"	6

ADX Bits Bulk Pack



Part Number	Diameter	Usable Length	Overall Length	Qty Per Pack
ADX-001024	3/16"	4"	6 1/4"	12
ADX-001068	1/4"	4"	6 1/4"	12
ADX-001121	3/8"	4"	6 1/4"	6
ADX-001157	1/2"	4"	6 1/4"	6

SDS-Plus Drill Bits with Drill Stop



Part #	Description	Drill Bit Diameter	Drilling Depth
DRADS-250065	1/4" Drill Stop	1/4"	13/16"
DRADS-375095	3/8" Drill Stop	3/8"	11/16"
DRADS-375106	Drill bit for 1/4" Drop in	3/8"	1-1/16"
DRADS-500081	Drill bit for 3/8" Drop in	1/2"	13/16"
DRADS-500169	Drill bit for 3/8" Drop in	1/2"	1-11/16"
DRADS-625106	Drill bit for 1/2" Drop in	5/8"	1-1/16"
DRADS-625206	Drill bit for 1/2" Drop in	5/8"	2-1/16"



Features

- Sturdy drill stop ring to avoid concrete penetration.
- Centering tip for quick spot drilling!
- Enhanced dust removal with full fluting to drill stop!

For a faster more secure drop-in anchor installation with the perfect anchor setting depth

Driltec



SDS-Max Drill Bits

Single Cutter Part	Multi Cutter Part	Diameter	Usable Length	Overall Length
DRSM-015-015		3/8"	7 1/4"	13 1/2"
DRSM-030-030		1/2"	7 1/4"	13 1/2"
DRSM-045-045		1/2"	10 3/4"	17"
DRSM-060-060		1/2"	15"	21 1/2"
DRSM-075-075		1/2"	21 3/4"	28"
DRSM-075-801		1/2"	30 1/2"	36"
DRSM-090-090		9/16"	7 1/4"	13 1/2"
DRSM-105-105		9/16"	15"	21 1/2"
	DRSM-120-120	5/8"	7 1/2"	13 1/2"
	DRSM-135-135	5/8"	11"	17"
	DRSM-150-150	5/8"	15 1/4"	21 1/2"
	DRSM-165-165	5/8"	22"	28"
	DRSM-180-180	5/8"	30 1/4"	36 1/4"
	DRSM-195-195	11/16"	7 1/2"	13 1/2"
	DRSM-210-210	11/16"	15 1/4"	21 1/2"
	DRSM-225-225	3/4"	7 1/2"	12 1/2"
	DRSM-240-240	3/4"	11"	16 1/2"
	DRSM-255-255	3/4"	15 1/2"	20 1/2"
	DRSM-270-270	3/4"	22 1/4"	28"
	DRSM-285-285	3/4"	30 1/2"	36 1/4"
	DRSM-360-360	7/8"	8"	12 1/4"
	DRSM-375-375	7/8"	11 1/2"	16 1/2"
	DRSM-390-390	7/8"	15 3/4"	20 1/4"
	DRSM-405-405	7/8"	30 3/4"	36"
	DRSM-420-420	1"	8"	12 1/4"
	DRSM-435-435	1"	11 1/2"	16 1/2"
	DRSM-450-450	1"	15 3/4"	20 1/4"
	DRSM-465-465	1"	30 3/4"	36 1/2"
	DRSM-495-495	1 1/8"	11 1/2"	16 1/2"
	DRSM-510-510	1 1/8"	17"	22 1/2"
	DRSM-525-525	1 1/8"	30 3/4"	36 1/4"
	DRSM-540-540	1 1/4"	11 1/2"	16 1/2"
	DRSM-555-555	1 1/4"	17"	22 1/2"
	DRSM-570-570	1 1/4"	30 3/4"	36 1/4"
	DRSM-600-600	1 3/8"	11 1/2"	16 1/2"
	DRSM-615-615	1 3/8"	17"	22 1/2"
	DRSM-630-630	1 3/8"	30 3/4"	36 1/4"
	DRSM-690-690	1 1/2"	11 1/2"	16 1/2"
	DRSM-705-705	1 1/2"	17"	22 1/2"
	DRSM-745-745	1 3/4"	17"	20 1/2"
	DRSM-765-765	2"	17"	20 1/2"



Driltec

Spline Drill Bits



Single Cutter Part	Multi Cutter Part	Diameter	Usable Length	Overall Length
DRAE-050-131		3/8"	4"	10"
DRAE-055-218		3/8"	7"	13"
DRAE-060-132		1/2"	4"	10"
DRAE-065-219		1/2"	7"	13"
DRAE-070-133		1/2"	9 1/2"	16"
DRAE-075-217		1/2"	15 1/2"	22"
DRAE-080-134		1/2"	20 1/2"	29"
DRAE-085-301		1/2"	30"	36"
	DRAE-305-136	5/8"	4"	10"
	DRAE-325-137	5/8"	9 1/2"	16"
	DRAE-335-212	5/8"	15 1/2"	22"
	DRAE-345-138	5/8"	20 1/2"	29"
	DRAE-355-228	5/8"	30"	36"
	DRAE-365-139	11/16"	9 1/2"	16"
	DRAE-375-180	3/4"	4"	10"
	DRAE-385-223	3/4"	7"	13"
	DRAE-395-140	3/4"	9 1/2"	16"
	DRAE-405-141	3/4"	15 1/2"	22"
	DRAE-415-142	3/4"	20 1/2"	29"
	DRAE-425-229	3/4"	30"	36"
	DRAE-455-143	7/8"	9 1/2"	16"
	DRAE-465-144	7/8"	15 1/2"	22"
	DRAE-475-230	7/8"	30"	36"
	DRAE-505-145	1"	9 1/2"	16"
	DRAE-515-146	1"	15 1/2"	22"
	DRAE-525-231	1"	30"	36"
	DRAE-535-147	1 1/8"	9 1/2"	16"
	DRAE-545-148	1 1/8"	15 1/2"	22"
	DRAE-560-149	1 1/4"	9 1/2"	16"
	DRAE-570-150	1 1/4"	15 1/2"	22"
	DRAE-600-152	1 3/8"	15 1/2"	22"
	DRAE-630-153	1 1/2"	15 1/2"	22"
	DRAE-660-245	1 3/4"	17"	22 1/2"
	DRAE-680-265	2"	17"	22 1/2"



d-go Expert™ dust extraction bits

SDS Max

Part #	Description
DRDMX14-600	1/2" x 15-1/2" x 23-1/2" SDS-Max
DRDMX16-600	5/8" x 15-1/2" x 23-1/2" SDS-Max
DRDMX20-600	3/4" x 15-1/2" x 23-1/2" SDS-Max
DRDMX22-600	7/8" x 15-1/2" x 23-1/2" SDS-Max
DRDMX25-600	1" x 15-1/2" x 23-1/2" SDS-Max
DRDMX28-600	1-1/8" x 15-1/2" x 23-1/2" SDS-Max
DRDMX32-600	1-1/4" x 15-1/2" x 23-1/2" SDS-Max

Features

- Vacuum cleaned holes
- Increased productivity
- Available in SDS-Max
- Attach to professional vacuum cleaners
- Clean, dustless work area
- ANSI diameters

SDS Plus

Part #	Description
DRDPL02-400	3/8" x 7-7/8" x 12-1/2" SDS-Plus
DRDPL04-400	1/2" x 9-3/4" x 14-1/2" SDS-Plus
DRDPL06-400	9/16" x 9-3/4" x 14-1/2" SDS-Plus
DRDPL08-400	5/8" x 9-3/4" x 14-1/2" SDS-Plus
DRDPL10-400	3/4" x 9-3/4" x 14-1/2" SDS-Plus
DRDPL12-400	7/8" x 9-3/4" x 14-1/2" SDS-Plus



d-go Pro™

Part #	Description	Pack Qty
DG042-000	Dustless Vacuum Attachment	10

Features

- Dustless
- Easy
- Economical
- Clean
- Versatile
- Can be used when drilling with any drill and sizes up to 1-1/8" in diameter
- Attaches to professional vacuum cleaner





Snap Lock Adapters

SDS-Plus Adapter

Part #	Description
DRAH-222-222	Spline Shank
DRAH-230-230	SDS-Max

For drilling small diameter holes with SDS-Plus drill bits. Maximize usable range of large capacity Rotary Hammers.



DRAH-222-222

SDS-Max / Spline Shank Adapter

Part #	Description
DRAH-223-223	Spline To SDS-Max Bits
DRAH-231-231	SDS-Max To Spline Bits

For using Spline Shank drill bits in SDS-Max Rotary Hammers and visa versa. Optimize usage of drill bit inventory.

Ratio Rebar Cutter

For use with SDS-Plus Rotary Hammers ONLY

Part Number	Diameter	Usable Length
DRRL-056-190	9/16"	7-1/2"
DRRL-056-420	9/16"	16"
DRRL-063-190	5/8"	7-1/2"
DRRL-063-420	5/8"	16"
DRRL-069-190	11/16"	7-1/2"
DRRL-069-420	11/16"	16"
DRRL-113-190	1-1/8"	7-1/2"
DRRL-113-420	1-1/8"	16"
DRRL-125-190	1-1/4"	7-1/2"
DRRL-125-420	1-1/4"	16"
DRRA-030-030		SDS Plus Adapter



Features

- Uniquely durable and aggressive carbide tips.
- Use with engaged hammer action. Allows for continuous drilling without change of drill mode!
- Integrated ejection support for removal of reinforcement from drill body.
- Note: Consult with structural design engineer/architect before drilling rebar!

1 Piece RebarCUTTER

Part Number	Diameter	Usable Length
RL-375-300	3/4"	7-1/2"
RL-375-460	3/4"	16"
RL-388-300	7/8"	7-1/2"
RL-388-460	7/8"	16"
RL-400-300	1"	7-1/2"
RL-400-460	1"	16"





Ratio Core Bits

Ratio Core Bit
(shown with pilot)



Item	Description	Diameter	Overall Length	Part Number
Core Bits (Ratio-Thread)	Use with "RA" Adapter and "DRRP-255-255" Pilot Bit. For deeper holes use "DRRE-300-300 & DRRE-450-450" extensions.	1 1/2"	3"	DRRK-150-150
		2"	3"	DRRK-200-200
		2 1/2"	3"	DRRK-250-250
		3"	3"	DRRK-300-300
		3 1/2"	3"	DRRK-350-350
		3 3/4"	3"	DRRK-375-375
		4"	3"	DRRK-400-400
		4 1/2"	3"	DRRK-450-450
		5"	3"	DRRK-500-500
Adapter (Ratio-Thread)	Spline Shank		2"	DRRA-010-010
	SDS-Max		2"	DRRA-020-020
	SDS-Top		2"	DRRA-025-025
	SDS-Plus		2"	DRRA-030-030
Extension (with Ratio Coupler)	11" Extension		11"	DRRE-300-300
	18" Extension		18"	DRRE-450-450
Pilot Bit	Ratio Core Bits Only!	11/16"	6"	DRRP-255-255
Coupler	Ratio Replacements	N/A	N/A	DRRT-001-001

One Piece Core Bits



Description	Diameter	Usable Length	Overall Length	Spline Part Number	SDS-Max Part Number
	1 3/4"	3"	12"	DRCB-100-175	DRCB-300-175
	1 3/4"	3"	22"	DRCB-105-175	
	2"	3"	12"	DRCB-110-200	DRCB-310-200
	2"	3"	22"	DRCB-115-200	DRCB-315-200
	2 3/4"	3"	12"		DRCB-320-250
	2 3/4"	3"	22"	DRCB-125-250	DRCB-325-250
	3 1/4"	3"	12"		DRCB-330-300
	3 1/4"	3"	22"	DRCB-135-300	DRCB-335-300
	3 1/2"	3"	12"	DRCB-140-350	DRCB-340-350
	3 1/2"	3"	22"	DRCB-145-350	DRCB-345-350
	4"	3"	22"	DRCB-155-400	DRCB-355-400
	4 1/2"	3"	22"	DRCB-165-450	DRCB-365-450
	5"	3"	22"	DRCB-175-500	DRCB-375-500
	6"	3"	22"	DRCB-185-600	DRCB-385-600
Replacement Pilot Bit				DRCB-985-900	DRCB-985-900



Straight Shank Drill Bits



Part Number	Diameter	Overall Length	Shank Diameter
DRAS-003-003	1/8"	2 1/2"	1/8"
DRAS-003-009	1/8"	6"	1/8"
DRAS-004-009	5/32"	6"	5/32"
DRAS-006-006	3/16"	3 1/2"	3/16"
DRAS-009-009	3/16"	6"	3/16"
DRAS-011-015	7/32"	6"	7/32"
DRAS-012-012	1/4"	4"	1/4"
DRAS-015-015	1/4"	6"	1/4"
DRAS-024-024	5/16"	6"	5/16"
DRAS-030-030	3/8"	6"	3/8"
DRAS-036-036	3/8"	18"	3/8"
DRAS-039-039	3/8"	24"	3/8"
DRAS-042-042	1/2"	6"	3/8"
DRAS-045-045	1/2"	13"	3/8"
DRAS-048-048	1/2"	18"	3/8"
DRAS-051-051	1/2"	24"	3/8"
DRAS-052-052	9/16"	6"	3/8"
DRAS-056-056	5/8"	8"	3/8"
DRAS-057-057	5/8"	13"	3/8"
DRAS-060-060	3/4"	6"	1/2"
DRAS-063-063	3/4"	13"	1/2"
DRAS-066-066	7/8"	6"	1/2"
DRAS-069-069	7/8"	13"	1/2"
DRAS-072-072	1"	6"	1/2"

HT Drill Bits



Part Number	Diameter	Overall Length
DRHT-005-005	1/8"	3"
DRHT-010-010	5/32"	4"
DRHT-015-015	3/16"	4"
DRHT-020-020	1/4"	4"
DRHT-025-025	5/16"	4 3/4"
DRHT-030-030	3/8"	4 3/4"
DRHT-033-033	1/2"	6"

For Drilling Tile, Marble, Porcelain, Ceramics, etc.

SDS-Plus Chisels



Power Point | 6 1/4" | DRAG-600-600



Bull Point | 10" | DRAG-603-603



Twisted Bull Point | 10" | AG-602-602



Power Chisel | 6 1/4" | DRAG-604-604



Flat Chisel | 3/4 x 10" | DRAG-606-606



Channel Chisel | 9" | AG-612-612



Bent Chisel | 1 1/2" x 10" | DRAG-610-610



Wide Chisel | 1 1/2" x 10" | DRAG-609-609



Scaling Chisel | 4" x 9" | DRAG-615-395



4" Scraper Assembly | 4" x 11" | DRAG-650-040



8" Scraper Assembly | 8" x 11" | DRAG-650-080



Scraper Blade Only | 4" | AG-655-040



Scraper Blade Only | 8" | AG-655-080



Bushing Tool | Carbide Tipped | DRAG-690-371



SDS-Max Chisels



Bull Point | 11" | DRAG-230-203

Bull Point | 16" | DRAG-235-204



Flat Chisel | 11" | DRAG-240-205

Flat Chisel | 16" | DRAG-245-206



Scaling Chisel | 2" x 12" | DRAG-250-210

Scaling Chisel | 2" x 16" | DRAG-255-207

Scaling Chisel | 3" x 12" | DRAG-260-208



Bent Chisel | 3" x 12" | DRAG-261-211

Bent Chisel | 3" x 17-1/2" | AG-262-212



Slotting Tool | 1 1/4" x 12" | DRAG-265-209



Clay Spade | 4 1/2" x 5" x 19" | DRAG-270-215



Pointed Spade | 5" x 21" | DRAG-271-218



Asphalt Cutter | 5" x 5" x 19" | DRAG-275-220



Floor Scraper | 6" x 5" | DRAG-310-340



Floor Scraper Adapter | 14" x 16" | DRAG-285-341



Ground Rod Driver | 5/8" x 10" Adapter | DRAG-280-231

Ground Rod Driver | 3/4" x 10" Adapter | DRAG-280-232



Bushing Tool | 1 3/4" x 1 3/4" x 9" | DRAG-290-370



Bushing Tool Carbide | 1 3/4" x 1 3/4" x 9 3/4" | DRAG-290-371



Spline Chisels



Bull Point | 1" x 12" | DRAG-110-192

Bull Point | 1" x 16" | DRAG-115-193



Flat Chisel | 12" | DRAG-120-190

Flat Chisel | 16" | DRAG-125-191



Scaling Chisel | 2" x 12" | DRAG-130-195

Scaling Chisel | 3" x 12" | DRAG-135-198



Slotting Chisel | 1 1/2" x 12" | DRAG-140-209



Clay Spade | 4" x 5" x 19" | DRAG-145-215



Asphalt Cutter | 5" x 5" x 19" | DRAG-150-220



Floor Scraper | 6" x 5" | DRAG-310-340



Floor Scraper Adapter | 14" x 16" | DRAG-165-341



Ground Rod Driver | 3/4" x 10" | DRAG-160-232



Bushing Tool | 1 3/4" x 1 3/4" x 9" | DRAG-170-350

1 1/8" Chisels



Moil Point | 20" | DRAG-705-705



Flat Chisel | 20" | DRAG-715-715



3" Flat Chisel | 3" | DRAG-725-725



Asphalt Cutter | 4 1/2" x 5" | DRAG-735-735

(HSS) High Speed Steel Hand Taps

Machine Screw Ground Thread



Part #	Machine Screw Thread	# of Flutes	Ground Thread Limit	OAL	Use Thread Length	Drill Size
IT-263NC0006	6-32 NC	3	H2	2"	11/16"	35
IT-263NC0008	8-32 NC	4	H3	2-1/8"	3/4"	29
IT-263NC0010	10-24 NC	4	H3	2-3/8"	7/8"	25
IT-263NF0010	10-32 NF	4	H3	2-3/8"	7/8"	21
IT-263NC0012	12-24 NC	4	H3	2-3/8"	15/16"	16

(HSS) High Speed Steel Hand Taps

Fractional Ground Thread



Part #	Machine Screw Thread	# of Flutes	Ground Thread Limit	OAL	Use Thread Length	Drill Size
IT-266NC0310	1/4"-20 NC	4	H3	2-1/2"	1"	7

6" Long Spade Wood Drill



Part #	Size	OAL	Qty
IT-300SB2064	5/16"	6"	1
IT-300SB2464	3/8"	6"	1
IT-300SB2864	7/16"	6"	1
IT-300SB3264	1/2"	6"	1
IT-300SB3664	9/16"	6"	1
IT-300SB4064	5/8"	6"	1
IT-300SB4464	11/16"	6"	1
IT-300SB4864	3/4"	6"	1
IT-300SB5264	13/16"	6"	1
IT-300SB5664	7/8"	6"	1
IT-300SB6464	1"	6"	1
IT-300SB7264	1-1/8"	6"	1
IT-300SB8064	1-1/4"	6"	1
IT-300SB8864	1-3/8"	6"	1
IT-300SB9664	1-1/2"	6"	1

Features

- Cold Forge
- Rust Protection
- Individually
- Wing Tip Design
- Industrial Quality
- Machine Finish Cutting Groove
- 1/4" Hex Power Groove Shank
- Stamped w/ size
- Full Length Treated

Jobber Drills

General Purpose - Bright Finish M2 HSS



Part #	Size	Dec.	OAL	Flute	Qty.
IT-250US0464	1/16"	0.0625	1-7/8"	7/8"	12
IT-250US0564	5/64"	0.0781	2"	1"	12
IT-250US0664	3/32"	0.0938	2-1/4"	1-1/4"	12
IT-250US0764	7/64"	0.1094	2-5/8"	1-1/2"	12
IT-250US0864	1/8"	0.1250	2-3/4"	1-5/8"	12
IT-250US0964	9/64"	0.1406	2-7/8"	1-3/4"	12
IT-250US1064	5/32"	0.1562	3-1/8"	2"	12
IT-250US1164	11/64"	0.1719	3-1/4"	2-1/8"	12
IT-250US1264	3/16"	0.1875	3-1/2"	2-5/16"	12
IT-250US1364	13/64"	0.2031	3-5/8"	2-7/16"	12
IT-250US1464	7/32"	0.2188	3-3/4"	2-1/2"	12
IT-250US1564	15/64"	0.2344	3-7/8"	2-5/8"	12
IT-250US1664	1/4"	0.2500	4"	2-3/4"	12
IT-250US1764	17/64"	0.2656	4-1/8"	2-7/8"	12
IT-250US1864	9/32"	0.2812	4-1/4"	2-15/16"	12
IT-250US1964	19/64"	0.2969	4-3/8"	3-1/16"	12
IT-250US2064	5/16"	0.3125	4-1/2"	3-3/16"	12
IT-250US2164	21/64"	0.3281	4-5/8"	3-5/16"	6
IT-250US2264	11/32"	0.3483	4-3/4"	3-7/16"	6
IT-250US2364	23/64"	0.3594	4-7/8"	3-1/2"	6
IT-250US2464	3/8"	0.3750	5"	3-5/8"	6
IT-250US2564	25/64"	0.3906	5-1/8"	3-3/4"	6
IT-250US2664	13/32"	0.4062	5-1/4"	3-1/8"	6
IT-250US2764	27/64"	0.4219	5-3/8"	3-15/16"	6
IT-250US2864	7/16"	0.4375	5-1/2"	4-1/16"	6
IT-250US2964	29/64"	0.4531	5-5/8"	4-3/16"	6
IT-250US3064	15/32"	0.4688	5-3/4"	4-5/16"	6
IT-250US3164	31/64"	0.4844	5-7/8"	4-3/8"	6
IT-250US3264	1/2"	0.5000	6"	4-1/2"	6

Features

- Jobber Length
- 118 degree point
- General Purpose
- Ground Flute
- Straight Shank
- Bright Finish
- M2 HSS



1/4" Hex Extra Hard Phillips Insert



Part #	Point Size	Overall Length
VE-125P1A	1	1"
VE-125P2A	2	1"
VE-125P3A	3	1"
VE-125P4A	4	1"

1/4" Hex Extra Hard Phillips Power Bits



Part #	Point Size	Overall Length
VE-150P1A	1	2"
VE-150P2A	2	2"
VE-150P3A	3	2"
VE-170P1A	1	2-3/4"
VE-170P2A	2	2-3/4"
VE-170P3A	3	2-3/4"
VE-170P4A	4	2-3/4"
VE-190P1A	1	3-1/2"
VE-190P2A	2	3-1/2"
VE-190P3A	3	3-1/2"
VE-1150P1A	1	6"
VE-1150P2A	2	6"
VE-1150P3A	3	6"
VE-1200P2A	2	8"
VE-1250P2A	2	10"
VE-1300P2A	2	12"

1/4" Hex Extra Hard Phillips Insert Bits

For Drywall Screws



Part #	Point Size	Overall Length
VE-125P1R	1	1"
VE-125P2R	2	1"

1/4" Hex Phillips Drywall Indenter



Part #	Point Size	Overall Length
VE-125P2C	2	1"

1/4" Hex Extra Hard Torx Insert Bits



Part #	Point Size	Overall Length
VE-125T10A	10	1"
VE-125T15A	15	1"
VE-125T20A	20	1"
VE-125T25A	25	1"
VE-125T27A	27	1"
VE-125T30A	30	1"
VE-125T40A	40	1"
VE-125T50A	50	1"

1/4" Hex Extra Hard Torx Power Bits



Part #	Point Size	Overall Length
VE-150T10A	10	2"
VE-150T15A	15	2"
VE-150T20A	20	2"
VE-150T25A	25	2"
VE-150T27A	27	2"
VE-150T30A	30	2"
VE-150T40A	40	2"
VE-170T10A	10	2-3/4"
VE-170T15A	15	2-3/4"
VE-170T20A	20	2-3/4"
VE-170T25A	25	2-3/4"
VE-170T30A	30	2-3/4"
VE-170T40A	40	2-3/4"
VE-190T10A	10	3-1/2"
VE-190T15A	15	3-1/2"
VE-190T20A	20	3-1/2"
VE-190T25A	25	3-1/2"
VE-190T27A	27	3-1/2"
VE-190T30A	30	3-1/2"
VE-190T40A	40	3-1/2"
VE-1150T10A	10	6"
VE-1150T15A	15	6"
VE-1150T20A	20	6"
VE-1150T25A	25	6"
VE-1150T30A	30	6"
VE-1150T40A	40	6"



Extra Hard Phillips Square-Driv® Acr®
1/4" Hex Insert Bits



Part #	Point Size	Overall Length
VE-125PSD22	2-2	1"

1/4" Hex Phillips Square-Driv® Acr®



Part #	Point Size	Overall Length
VE-150PSD22	2-2	2"
VE-170PSD22	2-2	2-3/4"
VE-190PSD22	2-2	3-1/2"
VE-1150PSD22	2-2	6"

Extra Hard Square Bits

1/4" Extra Hard Square Insert Bits



Part #	Point Size	Overall Length
VE-125R1A	1	1"
VE-125R2A	2	1"
VE-125R3A	3	1"

1/4" Extra Hard Square Power Bits



Part #	Point Size	Overall Length
VE-150R1A	1	2"
VE-150R2A	2	2"
VE-150R3A	3	2"
VE-170R1A	1	2-3/4"
VE-170R2A	2	2-3/4"
VE-170R3A	3	2-3/4"
VE-190R1A	1	3-1/2"
VE-190R2A	2	3-1/2"
VE-190R3A	3	3-1/2"
VE-1150R1A	1	6"
VE-1150R2A	2	6"
VE-1150R3A	3	6"

Nutsetters

1/4" Standard Magnetic Nutsetter



Part #	Broached Hex	Overall Length
VE-145MN416	1/4"	1-3/4"
VE-145MN516	5/16"	1-3/4"
VE-145MN616	3/8"	1-3/4"
VE-145MN716	7/16"	1-3/4"
VE-145MN816	1/2"	1-3/4"
VE-165MN416	1/4"	2-9/16"
VE-165MN516	5/16"	2-9/16"
VE-165MN616	3/8"	2-9/16"
VE-165MN716	7/16"	2-9/16"
VE-165MN816	1/2"	2-9/16"
VE-165MN916	9/16"	2-9/16"
VE-1100MN416S	1/4"	4"
VE-1100MN516S	5/16"	4"
VE-1100MN616S	3/8"	4"
VE-1100MN716S	7/16"	4"
VE-1150MN416S	1/4"	6"
VE-1150MN516S	5/16"	6"
VE-1150MN616S	3/8"	6"
VE-1150MN716S	7/16"	6"
VE-1200MN416	1/4"	8"
VE-1200MN516	5/16"	8"
VE-1200MN616	3/8"	8"
VE-1250MN416	1/4"	10"
VE-1250MN516	5/16"	10"
VE-1250MN616	3/8"	10"
VE-1300MN416	1/4"	12"
VE-1300MN516	5/16"	12"
VE-1300MN616	3/8"	12"

Special Driver

1/4" Eye Lag Screw Driver



Part #	Hex Size	Overall Length
VE-168ELSD	1/4"	2-11/16"




Bit Holders

Magnetic Bit Holder 1 Piece Construction



Part #	Overall Length	ØD
VE-175MH1CD	3"	0.433"

Magnetic 1 Piece Quick Release Bit Holder - 1/4" Hex Drive



Part #	Overall Length	ØD
VE-150MH1QD	2"	0.433"
VE-160MH1QD	2-3/8"	0.433"
VE-175MH1QD	3"	0.433"
VE-1100MH1QD	4"	0.433"
VE-1150MH1QD	6"	0.433"

Magnetic Screw Cap Holder with Rubber O-Ring - 1/4" Hex Drive



Part #	Overall Length	ØD
VE-175MH1CC	3"	0.433"

Bit Kits

VE-V32-1P



Contents	
Phillips	0, 1, 2, 2R, 3
Torx®	10, 15, 20, 25, 27, 30, 40
Slotted	3-4, 4-5, 6-8, 8-10, 10-12
Hex	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16
Square	1, 2, 3
Socket	1/4 X 1/4
Quick Release Bit Holder	

VE-V50-1P



Contents	
Phillips	0, 1, 2, 3
Phillips	0, 1, 2, 3, (Acr)
Pozidriv®	0, 1, 2, 3
Torx®	5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30
Slotted	3-4, 4-5, 5-6, 6-8, 8-10, 10-12, 12-14, 14-16
Hex	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16
Square	0, 1, 2, 3
Adapter	1/4 X 1/4
Socket Bit Holder	



VE-VHS100A 100 PC Master Bit Set

Contents	
Phillips	0, 1, 2, 2R, 3, 4
Pozidriv®	0, 1, 2, 3, 4
Square	0, 1, 2, 3, 4
Torx®	6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40, 45, 50
Clutch	1, 2, 3
Hex	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4
Slotted	3-4, 4-5, 5-6, 6-8, 8-10, 10-12
Phillips ACR®	Li 0, 1, 2R, 2, 3
Pozidriv® ACR®	1, 2, 3
Spline	4, 5, 6, 8
Torq-Set®	4, 5, 6, 8, 10, 1/4
Spanner	4, 6, 8, 10, 12
Torx® Tamper	6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40
Hex Tamper®	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4
Tri-Wing	1, 2, 3, 4, 5

*Adapter for 1/4" Socket 1/4" x 1", 1/4" x 2"

*Bit Holder for 1/4" Hex Bits 1/4" x 2.236"

*Y-Adapter for Hook Screws

*Socket for 1/4" Hex Bits

Albion Caulking Guns



Part #	Description
ALB-B26	1/10 Gallon B-Line Manual Cartridge Gun w/ High Thrust 26:1 Drive
ALB-B26Q	1 Quart B-Line Manual Cartridge Gun w/ High-Thrust 26:1 Drive
ALB-B26T825	750 x 75 ml B-Line Manual Multi-Component Cartridge Gun (10:1, 2:1)

Orange Peels

Pre-moistened wipe with a powerful orange oil formula will quickly clean metals, laminates, fiberglass, machinery, concrete, and tools. Cuts through grease, oil, paints, sealants, tar, wax, and most graffiti. Contains lanolin and vitamin E so they are safe on skin. Dual texture: scrub clean with the textured side, then use the smooth side for a final wipe.



Part #	Size	Packaging	Count
BRO-20216	10" x 12"	Tub	70/wipes/tub; 6 tubs/case

Asphalt Anchors


Part Number	Description	Drill Bit Diameter	Pull Rated	Qty
AAG-SP10-38*	6" Asphalt Anchor w/ 3/8" Female	7/8"	1500 lbs	6PACK
AAG-SP10-38S*	6" Stainless Asphalt Anchor	7/8"	1500 lbs	6PACK
AAG-SP12-38	12" Asphalt Anchor w/ 3/8" Female	7/8"	2000 lbs	6PACK
AAG-SP12-38S	12" Stainless Asphalt Anchor	7/8"	2000 lbs	6PACK
AAG-SP18-716	12" Asphalt Anchor w/ 7/16" Female	1"	2500 lbs	6PACK
AAG-SP18-716S	12" Stainless Asphalt Anchor	1"	2500 lbs	6 PACK
AAG-SP58-58	10" Asphalt Anchor w/ 5/8 Female	1-1/2"	5000 lbs	6 PACK
AAG-SP58-58S	10" Stainless Asphalt Anchor	1-1/2"	5000 lbs	6 PACK
AAG-AM625	6" Polycarbonate Asphalt Anchor w/ 1/4" screw	7/8"	1500 lbs	6 PACK
AAG-EPX2	Anchor Concrete Grout to Hold	N/A	N/A	6PACK

*2 anchors to 1 bag of grout

Features

- Anchors are flush-mounted to the asphalt and provide a clean internal thread for attaching bolts to the anchors
- Installation requires drilling a hole and filling it with our inexpensive grout, then pushing the anchor in until it is flush w/ asphalt surface

For more informaton, visit www.asphaltanchors.com



Safety Supplies

Features

- 144/pr in a case
- 12/pr in a bundle

PIP-34-874 MaxiFlex Ultimate

Seamless Knit Nylon / Lycra Glove with Nitrile Coated MicroFoam Grip on Palm & Fingers and AD-APT® Technology

Part #

PIP-34-874S*

PIP-34-874M*

PIP-34-874L*

PIP-34-874XL*

PIP-34-874XXL*

PIP-34-874XXXL*



**Available tagged*

PIP-34-8743 MaxiFlex Cut 3

Seamless Knit Engineered Yarn Glove with Premium Nitrile Coated MicroFoam Grip on Palm & Fingers

Part #

PIP-34-8743L

PIP-34-8743XL



PIP-41-1430 Gloves PowerGrab Thermo

Seamless Knit Nylon Glove with Hi-Vis Acrylic Liner and Latex MicroFinish Grip on Palm & Fingers

Part #

PIP-41-1430M*

PIP-41-1430L*

PIP-41-1430XL*

PIP-41-1430XXL*



**Available tagged*

PIP-34-800 MaxiFoam Premium

Seamless Knit Nylon Glove with Nitrile Coated Foam Grip on Palm & Fingers

Part #

PIP-34-800L

PIP-34-800XL

PIP-34-800XXL



PIP-39-C122

Seamless Knit Cotton / Polyester Glove with Latex Coated Smooth Grip on Palm & Fingers - Regular Grade

Part #

PIP-39-C122L

PIP-34-C122XL



PIP-16-PK-D622 Great White Cut 3

Seamless Knit Dyneema Diamond Blended Glove with Polyurethane Coated Smooth Grip on Palm & Fingers.

Part #

PIP-16-PK-D622L*

PIP-16-PK-D622XL*

PIP-16-PK-D622XXL*

**Tagged*



Safety Supplies

Zenon Z13™

Rimless Safety Glasses with Clear Temple, I/O Lens and Anti-Scratch Coating

Part #

PIP-250-06-0002



Zenon Z12™

Rimless Safety Glasses with Black Temple, Silver Mirror Lens and Anti-Scratch Coating

Part #

PIP-250-01-0005



Zenon Z13™

Rimless Safety Glasses with Light Blue Temple, Light Blue Lens and Anti-Scratch Coating

Part #

PIP-250-06-5503



Zenon Z13™

Rimless Safety Glasses with Amber Temple, Amber Lens and Anti-Scratch Coating

Part #

PIP-250-06-5509



Anser™

Semi-Rimless Safety Glasses with Black Frame, Clear Lens and Anti-Scratch Coating

Part #

PIP-250-AN-10111



Anser™

Semi-Rimless Safety Glasses with Black Frame, Gray Lens and Anti-Scratch Coating

Part #

PIP-250-AN-10112



Anser™

Semi-Rimless Safety Glasses with Camouflage Frame, Brown Lens and Anti-Scratch Coating

Part #

PIP-250-AN-10121



Cefiro™

Full Frame Safety Glasses with Black Frame, Rubber Foam Padding, Silver Mirror Lens and Anti-Scratch / Anti-Fog Coating

Part #

PIP-250-CE-10095




Features

- 12 in a box



One Minute E-Train is a Video Blog (Vlog), the purpose of which is to provide continual education in very short intervals at the time of your convenience and discretion. The content will be properties, applications, and techniques of construction fasteners, supplies, and equipment. It is our intention to bring you interesting information that will directly benefit you or provide a broader knowledge of the construction industry. For more information on One Minute E-Train, or to sign-up to receive our periodic videos via email, please mail us at info@oneminuteetrain.com

**Training In
Just One Minute!**



Specialty Tools & Fasteners Distributors Association is an educational trade association comprised of 2500 of the leading distributors, manufacturers, and manufacturers' representatives of light construction, industrial, and related products. Norfast, Inc. has been a member since 1980.

TRUFAST



TENRYU

TodoProducts

THE ORIGINAL GRIPCON
perma-grip[®]

Buildex
Tapcon[®]
*1 CHOICE OF PROFESSIONALS



SAMMYS[®]



TRAKFAST

SPAX[®]



TOGGLER[®]
HIGH-PERFORMANCE ANCHORS[®]

GRABBER.
CONSTRUCTION PRODUCTS



